ROYAL BOTANIC GARDENS, KEW.

BULLETIN

OF

MISCELLANEOUS INFORMATION.

APPENDIX V.—1907.

LIST OF KEW PUBLICATIONS, 1896-1906.

In the *Kew Bulletin* for 1897 a list was given of publications, by members of the Kew staff or by other botanists working at Kew, which appeared during the period from the first devotion of the Royal Botanic Gardens to public use in 1841 till the close of the year 1895. That list, compiled with much care by Mr. B. Daydon Jackson, takes the form of a chronological catalogue. It has proved so useful that it seems desirable to bring the subject matter up to date.

In the *Kew Bulletin* for 1905 will be found a select list of works prepared at Kew either by members of the staff or by other botanists working there. In order to minimise as far as possible the risk of repeating information already easily accessible, it has therefore been considered advisable to restrict the entries contained in the present list to works or articles written by those who are and have been actually members of the staff.

As in the case of the list issued in 1897, it is not contended that every contribution has been catalogued ; it has indeed been decided to exclude, as a rule, articles of merely ephemeral interest. Some articles which might have found a place may therefore have been omitted ; on the other hand, it may quite legitimately be judged, by some who consult the list, that certain articles given here might have been left out. In doubtful cases, it may be stated, an article has received the benefit of the doubt ; it is therefore hoped that errors of judgment of the former kind may prove to be less numerous than those of the latter.

The chronological method of arrangement, so valuable as to be practically essential in a catalogue covering a period so prolonged as that dealt with in the list drawn up by Mr. Daydon Jackson, is less necessary when what is little more than a decade is passed

1375 Wt 87 12/07 D & S 29 30253

under review. It has therefore been possible to make use in the present list of the convenient system of classification by authors, under whose names are catalogued (i.) separate works, (ii.) contributions to separate works, and (iii.) articles in scientific and technical journals, given in each case in chronological sequence. The practical utility of the list will, it is hoped, be found to have been considerably enhanced from the fact that in cases where authors have made themselves responsible for the proposal of previously undescribed species this is duly indicated.

BAKER, J. G.

THISELTON-DYER, FLORA CAPENSIS :—

1896. Vol. VI.

Haemodoraceae, pp. 1–7.

Iridaceae, pp. 7–171, and 529–531.

Acidanthera brevicaulis; Antholyza laxiflora, A. pulchrum; Aristea montana; Gladiolus aureus, G. erectiflorus [non Baker in *Kew Bull.* 1895, 293], G. Flanagani, G. fusco-viridis; Hesperantha subexserta; Homeria simulans; Lapeyrousia macrospatha.

Amaryllidaceae, pp. 171–246, and 531–533.

Brunsvigia natalensis, B. sphaerocarpa; Crinum acaule; Curculigo namaquensis; Cyrtanthus Elliotii, C. Flanagani, C. rectiflorus, C. stenanthus; Gethyllis pusilla; Haemanthus montanus; Hessea brachyscypha; Hypoxis brevifolia, H. Flanagani, H. Galpini, H. parvifolia, H. rubella; Nerine angustifolia, N. brachystemon.

Dioscoreaceae, pp. 246–253.

Dioscorea microcuspis, D. Rehmanni.

1896–1897. Vol. VI.

Liliaceae, pp. 253–528, and 533–536.

Albuca Baurii, A. collina, A. crinifolia, A. exuviata, A. Macowani, A. minima, A. namaquensis, A. pachychlamys, A. tortuosa; Aloe desmetiana, A. rupestris; Androcymbium natalense; Anthericum Bolusii, A. brachypodum, A. capitatum, A. chlamydophyllum, A. Galpini, A. multisetosum, A. nudicaule, A. Pappei, A. patulum, A. pilosum, A. polyphyllum, A. robustum, A. Saundersiae, A. serpentinum, A. subcontortum, A. tabulare, A. transvaalense, A. trichophlebium; Bulbine brunsvigiaefolia, B. caespitosa, B. concinna, B. flexicaulis, B. natalensis, B. parviflora; Chlorophytum delagoense, C. drepanophyllum, C. vaginatum; Dipcadi elatum, D. gracillimum, D. polyphyllum, D. Readii, D. volutum; Drimia angustifolia, D. capitata, D. chlorantha, D. neriniformis, D. sphaerocephala; Drimiopsis maxima, D. Saundersiae, D. Woodii; Eriospermum alcicorne, E. Burchellii, E. cernuum, E.

BAKER, J. G.—*continued.*

THISELTON-DYER, FLORA CAPENSIS :—

Haygarthii, E. luteo-rubrum, E. microphyllum, E. natalense, E. Schlechteri, E. tenellum, E. thyrsoideum, E. villosum; Gasteria elongata; Haworthia Cassytha, H. sessiliflora, H. xiphiophylla; Kniphofia Baurii, K. Evansii, K. fibrosa, K. Galpini, K. primulina, K. Thodei; Lachenalia Bowkeri, L. rhodantha, L. Youngii; Massonia concinna, M. Dregei, M. Greenii, M. longipes, M. namaquensis; Notosceptrum natalense; Ornithogalum Baurii, O. elatum, O. Flanagani, O. Galpini, O. gracilentum, O. inandense, O. inconspicuum, O. leptophyllum, O. lineare, O. monophyllum, O. Monteiroi, O. oliganthum, O. oostachyum, O. pauciflorum, O. polyphlebium, O. Rogersii, O. Saltmarshei, O. tortuosum, O. tulbaghense, O. xanthochlorum; Rhadamanthus cyanelloides; Scilla Baurii, S. diphylla, S. Galpini, S. globosa, S. inandensis, S. lachenalioides, S. Leichtlinii, S. leptophylla, S. megaphylla, S. Nelsoni, S. oostachys, S. Rogersii, S. sphaerocephala, S. Tysoni; Tulbaghia leucantha; Urginea Burkei, U. delagoensis, U. Dregei, U. echinostachya, U. Forsteri, U. kniphofioides, U. lilacina, U. multisetosa, U. natalensis, U. riparia, U. rubella, U. tenella.

1897. Vol. VII., Sect. 1.

Juncaceae, pp. 16–28.

1904. Vol IV., Sect. 2.

Convolvulaceae, pp. 45–87.

(With C. H. Wright.)

Cuscuta Gerrardii, C. natalensis; Falkia dichondroides; Ipomoea Atherstonei, I. petunioides, I. Saundersiana, I. tetraptera, I. undulata, I. xiphosepala.

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

1898. Vol. VII.

Scitamineae, pp. 293–331.

Amomum Elliotii, A. zambesiacum; Costus lateriflorus, C. ligularis, C. nudicaulis; Kaempferia Carsoni, K. macrosiphon; Phrynium Benthami, P. coriscense, P. Hensii, P. holostachyum, P. inaequilaterum, P. sulphureum, P. velutinum; Renealmia grandiflora.

Haemodoraceae, pp. 331–336.

Sansevieria Schimperi.

Iridaceae, pp. 337–376, and 575–577.

Acidanthera ukambanensis; Aristea longifolia, A. nandiensis, A. nyikensis, A. zombensis; Ferraria bechuanica; Gladiolus Antunesii, G. aphanophyllus, G. macrophlebius,

BAKER, J. G.—*continued.*

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

G. mosambicensis, G. oliganthus, G. pallidus, G. quilimanensis, G. subulatus, G. Whytei ; Lapeyrousia Monteiroi, L. porphyrosiphon ; Moraea aurantiaca, M. kitambensis, M. macrantha.

Amaryllidaceae, pp. 376–413, and 577–578.

Buphane Fischeri ; Crinum majakallense, C. Menyharthi, C. rhodanthum, C. tanganyikense, C. Stuhlmanni ; Haemanthus zambesiacus ; Hypoxis brachyandrus, H. camerooniana, H. kilimanjarica, H. Nicholsoni.

Taccaceae, p. 413.

Dioscoreaceae, pp. 414–421.

Liliaceae, pp. 421–568.

Albuca Lugardi, A. nyikensis, A. Schinzii ; Aloe concinna, A. macrosiphon, A. megalacantha, A. Menyharthi, A. otallensis, A. Rivae, A. ruspoliana, A. Schinzii, A. Stuhlmanni, A. vituensis ; Anthericum Buchanani, A. flavoviride, A. Jamesii, A. malosanum, A. matabelense, A. triphyllum, A. usseramense, A. Whytei ; Asparagus bechuanicus, A. conglomeratus, A. Lugardi, A. nudicaulis, A. shirensis ; Chlorophytum brevipes, C. brunneum, C. Carsoni, C. floribundum, C. Mannii, C. scabrum, C. Schweinfurthii, C. ukambense ; Dasystachys crassifolia, D. debilis, D. decorata, D. gracilis, D. magnum, D. platyphyllum, D. polyphylla, D. vaginatum, D. zambesiacum ; Dipcadi arenarium, D. firmifolium ; Dracaena Elliotii, D. Hanningtoni, D. phanerophlebia, D. ugandensis ; Drimia brevifolia, D. Fischeri, D. zombensis ; Drimiopsis Stuhlmanni ; Eriospermum bechuanicum, E. elatum, E. linearifolium, E. sphaerophyllum ; Iphigenia bechuanica, I. strumosa ; Littonia Lindeni ; Ornithogalum cernuum, O. gambosanum ; Scilla chlorantha, S. cordifolia, S. Hildebrandtii, S. modesta, S. setifera ; Urginea Johnstoni, U. pauciflora, U. viridula.

1900. Vol. V.

Verbenaceae, pp., 273–332, and 515–521.

Clerodendron aurantiacum, C. Barteri, C. eupatorioides, C. Greyi, C. Guerkei, C. hysteranthum, C. Kalbreyeri, C. Kirkii, C. Mannii, C. orbiculare, C. thyrsoideum, C. toxicarium, C. zambesiacum ; Lippia Burtonii, L. plicata, L. Radula ; Premna longipes, P. macrodonta, P. Milnei, P. oligotricha, P. somaliensis ; Vitex aesculifolia, V. andongensis, V. divaricata, V. diversifolia, V. golungensis, V. gomphophylla, V. grisea, V. holocalyx, V. Kirkii, V. laevigata, V. oligantha, V. oxycuspis, V. pachyphylla, V. polyantha, V. puberula, V. shirensis, V. Schweinfurthii, V. sulphurea, V. Vogelii, V. zambesiaca.

BAKER, J. G.—*continued.*

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

Labiatae, pp. 332–502, and 521–526.

Achryospermum laterale, A. nyasanum, A. oblongifolium ; Acrocephalus centratheroides, A. dissitifolius, A. galeopsifolius, A. hyptoides, A. lippioides, A. monocephalus, A. polytrichus, A. porphyrophyllus, A. succisaefolius ; Aeolanthus conglomeratus, A. cryptanthus, A. cuneifolius, A. Medusa, A. myrianthus, A. serpiculoides ; Coleus assurgens, C. betonicoides, C. Briquetii, C. cunenensis, C. elatus, C. floribundus, C. leptophyllus, C. Mahonii, C. nyikensis, C. orbicularis, C. ruwenzoriensis, C. Schweinfurthii, C. tetensis ; Elsholtzia Carsonii ; Geniosporum discolor, G. paludosum, G. paniculatum ; Leonotis Elliotii, L. Melleri ; Leucas Carsonii, L. cephalantha, L. concinna, L. cuneifolia, L. Elliotii, L. fasciculata, L. kondowensis, L. lamioides, L. lanata, L. leucotricha, L. menthaefolia, L. microscypha, L. mollis, L. nepetoides, L. shirensis, L. stricta, L. venulosa, L. Whytei ; Moschosma urticifolium ; Nepeta petitiana ; Ocimum Buchananii, O. capitatum, O. Hanningtonii, O. Johnstonii, O. laxiflorum, O. punctatum, O. Rothii, O. thymoides, O. tortuosum ; Orthosiphon bartsioides, O. dissitifolius, O. Elliotii, O. Hildebrandtii, O. Johnstonii, O. Kirkii, O. longipes, O. malosanus, O. mombasicus, O. nyasicus, O. salagensis, O. shirensis, O. Wakefieldii ; Plectranthus biflorus, P. longensis, P. brevipes, P. Buchananii, P. chiradzulensis, P. fragilis, P. hoslundioides, P. Johnstonii, P. kondowensis, P. Lastii, P. longipes, P. mandalensis, P. manganjensis, P. Mannii, P. masukensis, P. matabelensis, P. microphyllus, P. moschosmoides, P. nyikensis, P. paniculatus, P. pauciflorus, P. porpeodon, P. pubescens, P. rupestris, P. schizophyllus, P. sphaerophyllus, P. stenophyllus, P. stenosiphon, P. triflorus, P. urticoides, P. Whytei, P. zombensis ; Pycnostachys Batesii, P. decussata, P. deflexifolia, P. Hanningtonii, P. Kirkii, P. nepetaefolia, P. oblongifolia, P. Petherickii, P. ruwenzoriensis, P. stenostachys, P. Whytei ; Salvia Hochstetteri ; Solenostemon calaminthoides, S. cymosus, S. zambesiacus.

Plantaginaceae, pp. 502–505.

1901. Vol. VIII.

Juncaceae, pp. 91–97.

1902. Vol. IV., Sect. 1.

Oleaceae, pp. 1–21.

Linociera angolensis, L. congesta, L. Johnsoni ; Olea Hochstetteri, O. somaliensis.

Salvadoraceae, pp. 21–24.

BAKER, J. G.—*continued.*

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

1903. Vol. IV., Sect. 1.

Loganiaceae, pp. 503–544.

Gaertnera rhodantha ; Mostuea Batesii ; Strychnos emarginata, S. malifolia, S. Marquesii, S. penduliflora.

1903–1904. Vol. IV., Sect. 1.

Gentianaceae, pp. 544–587.
(With N. E. Brown.)

1905. Vol. IV., Sect. 2.

Hydrophyllaceae, pp. 1–5.
(With N. E. Brown.)

Boraginaceae, pp. 5–62.
(With C. H. Wright.)

Cordia Johnsoni ; Cynoglossum geometricum, *Baker & Wright*, C. Mannii, *Baker & Wright* ; Heliotropium Vatkei ; Trichodesma Bentii, *Baker & Wright*, T. hispidum, *Baker & Wright*, T. Schimperi.

1905–1906. Vol. IV., Sect. 2.

Convolvulaceae, pp. 62–206.
(With Dr. A. B. Rendle.)

1906. Vol. IV., Sect. 2.

Lentibulariaceae.

Utricularia Schweinfurthii, 482, ex Stapf.

Gesneraceae, pp. 499–512.
(With C. B. Clarke.)

Streptocarpus ruwenzoriensis.

Pterodiscus Elliotii, p. 542, P. somaliensis, p. 544.

Sesamothamnus Smithii, p. 568.

BOTANICAL MAGAZINE :—

1896, tt. 7459–60, 7465, 7477, 7488, 7500, 7505, 7511.
Agave laxifolia ; Fritillaria nobilis ; Haworthia xiphiophylla ; Iris albopurpurea.

1897, tt. 7527, 7532, 7547, 7549, 7558, 7565, 7567, 7570.
Drimia Coleae.

1898, tt. 7580, 7592, 7597, 7604, 7606, 7623, 7627, 7631.
Crinum Woodrowi.

1899, tt. 7634, 7644, 7650, 7653, 7658.
Moraea sulphurea.

GARDENERS' CHRONICLE :—

1897. Vol. xxi., p. 214.
Galanthus cilicicus.

1898. Vol. xxiii., p. 321.
Lilium rubellum.

BAKER, J. G.—*continued.*

HOOKER'S ICONES PLANTARUM :—

1896. Vol. xxv., pt. 4, tt. 2492, 2493, 2499.
Melanophylla crenata ; Rhodocodon urgineoides ; Stenolirion Elliotii.

1897. Vol. xxvi., pt. 1, tt. 2501, 2513, 2514, 2523.
Aloe Nuttii ; Echinops bromeliaefolius ; Furcraea macro phylla.

KEW BULLETIN :—

1896.

Decades Kewenses.

Acrostichum clarenceanum ; Arthrophyllum borneense ; Asplenium Gregoriae, A. microxiphion, A. Natunae ; Bauhinia brachyscypha, B. Creaghi, B. macropoda, B. stenostachya ; Cyathea dulitensis ; Didymocarpus crenata ; Fagraea macroscypha, F. spicata ; Homalium myrianthum ; Lindsaya Natunae ; Nephrodium Everettii, N. oosorum ; Polypodium cyclobasis, P. Newtoni ; Uncaria grandifolia ; Vitex holophylla ; Xanthophyllum macrophyllum.

1897.

Diagnoses Africanae.

Achyranthes breviflora, A. Carsoni ; Acrostichum subsessile ; Aeschynomene dissitiflora, A. nyikensis, A. sparsiflora ; Albuca Adlami, A. nyikensis ; Alsophila Batesii ; Anthericum malosanum, A. Whytei ; Argyrolobium ? deflexiflorum, A. leucophyllum ; Aristea nyikensis, A. zombensis ; Athrixia stenophylla ; Belmontia divaricata ; Berlinia densiflora ; Celosia chenopodiifolia, C. cuneifolia, C. loandensis, C. minutiflora, C. nana, C. pandurata, C. semperflorens ; Chlorophytum floribundum ; Cleome epilobioides ; Crassula nyikensis, C. zombensis ; Crinum parvum ; Crotalaria argyrolobioides, C. caespitosa, C. gymnocalyx, C. Johnstoni, C. karongensis, C. leucotricha, C. nyikensis, C. oocarpa, C. pauciflora, C. pilosiflora, C. phyllostachys, C. sparsifolia, C. valida ; Cyathula Mannii, C. polycephala ; Deinbollia nyikensis ; Dicoma megacephala, D. nyikensis ; Dissotis Whytei ; Dolichos malosanus, D. shuterioides, D. trinervatus ; Dombeya tanganyikensis ; Eriosema cryptanthum ; Eugenia masukuensis ; Geissapsis drepanocephala ; Geranium vagans ; Gladiolus Johnstoni, G. masukuensis, G. nyikensis, G. stenophyllus, G. venulosus, G. Whytei ; Gymnosporia ferruginea ; Hermannia nyasica ; Hermstaedtia Welwitschii ; Hibiscus Carsoni ; Hypoxis malosana, H. nyasica, H. oligophylla ; Impatiens zombensis ; Indigofera fusco-setosa, I. karongensis, I. lonchocarpifolia, I. lupulina, I. macra, I. masukuensis, I. microcalyx, I. microscypha, I. nyikensis, I. patula ;

BAKER, J. G.—*continued.*

KEW BULLETIN :—

Lathyrus intricatus, L. malosanus ; Memecylon flavovirens ; Ochna longipes, O. shirensis ; Parinarium floribundum ; Pelargonium Whytei ; Peucedanum Buchanani, P. heracleoides, P. valerianaefolium ; Pilea floribunda ; Pittosporum malosanum ; Plantago tanalensis ; Polygonum nyikense, P. tanalense ; Polypodium efulense, P. forsythianum, P. microphyllum ; Psilostachys Kirkii ; Psilotrichum concinnum, P. debile, P. rubellum, P. trichophyllum ; Rhynchosia divaricata, R. floribunda, R. imbricata, R. nyasica, R. nyikensis, R. sphaerocephala ; Schistostephium artemisiaefolium, S. microcephalum ; Senecio antilensis, S. nyikensis ; Sericocoma Welwitschii ; Smithia congesta, S. drepanophylla. S. sphaerocephala ; Swertia nummularifolia ; Syringodea luteo-nigra ; Tachiadenus parviflorus ; Tephrosia dissitiflora, T. melanocalyx, T. nyikensis, T. periculosa, T. zombensis ; Trianthema nyasica ; Trichocladus malosanus ; Vigna malosana ; Vitis apodophylla, V. masukuensis, V. variifolia ; Weihea malosana.

1898.

Decades Kewenses.

Acrostichum yunnanense ; Adiantum myriosorum ; Alpinia strobilifera ; Alsophila Henryi ; Antrophyum obovatum, A. stenophyllum ; Davallia platylepis ; Gymnogramme pentaphylla ; Hesperaloe Davyi ; Hippeastrum Arechavaletae ; Nephrodium Creaghii, N. diffractum ; Nothoscordum uniflorum ; Polypodium aspersum, P. oligolepis, P. palmatopedatum, P. stenolepis, P. subintegrum, P. triglossum, P. trisectum ; Zephyranthes longipes, Z. stenopetala.

Diagnoses Africanae.

Achyrospermum cryptanthum ; Acrocephalus oligocephalus, A. venosus ; Aeolanthus nyikensis, A. salicifolius ; Ageratum polyphyllum ; Aspilia monocephala, A. zombensis ; Athrixia diffusa ; Berkheya echinopsoides, B. parvifolia, B. polyacantha ; Canscora ramosissima ; Clerodendron macrostachyum, C. syringaefolium ; Coreopsis aspilioides ; Cyphia nyasica ; Dombeya Johnstonii ; Emilia basifolia ; Eriospermum tulbaghioides ; Faroa axillaris ; Geranium Whytei ; Gerbera Lasiopus ; Guizotia nyikensis ; Haemanthus Nelsonii ; Helichrysum luteo-rubellum, H. monocephalum, H. nanum, H. nyasicum, H. patulifolium, H. rhodolepis, H. sulphureo-fuscum, H. syncephalum, H. xanthosphaerum ; Jaumea Johnstoni ; Leucas masukuensis, L. megasphaera, L. myriantha ; Lightfootia capitata ; Lobelia Buchanani, L. intertexta, L. nyikensis, L. squarrosa ; Moraea macrantha ; Nidorella malosana ; Ornithogalum subspicatum ; Phylica tropica ; Pulicaria tanganyikensis ; Pycnostachys leptophylla,

BAKER, J. G.—*continued.*

KEW BULLETIN :—

P. remotifolia, P. sphaerocephala ; Scutellaria Livingstonei ; Selago thyrsoidea ; Senecio exsertiflorus, S. nyikensis, S. pergamentaceus, S. rectiramus, S. subpetitianus, S. tabulicolus ; Swertia pleurogynoides, S. porphyrantha ; Tecoma nyikensis ; Tinnea physaloides ; Vernonia amblyolepis, V. asterifolia, V. Buchanani, V. chloropappa, V. exsertiflora, V. karongensis, V. leptolepis, V. malosana, V. myriotricha, V. polysphaera ; Vitis zombensis.

1899, pp. 118-122, Flora of British New Guinea :—

Filices.

Davallia bipinnatifida, D. lanceolata ; Nephrodium dissitifolium ; Todea alpina.

Lycopodiaceae.

Selaginellaceae.

Isoetes neoguineensis

1901.

Decades Kewenses.

Acrostichum celebicum ; Asplenium macrodictyon, A. Wallisii ; Cheilanthes trifurcata ; Polypodium Bangii.

Diagnoses Africanae.

Aloe Galpini, A. Lastii, A. lugardiana ; Anagallis Hanningtonii ; Asparagus longipes ; Asplenium efulense, A. ruwenzoriense ; Bobartia gracilis ; Dipcadi brevipes ; Gleichenia elongata ; Kniphofia longiflora ; Lygodium Brycei.

1906.

Decades Kewenses.

Acrostichum sinense ; Alsophila costularis ; Antrophyum petiolatum ; Asplenium leptophyllum, A. parallelosorum, A. Sanderi, A. sinense ; Cheilanthes subrufa ; Davallia henryana, D. rigidula ; Lomaria decurrens ; Lycopodium Henryi ; Nephrodium cyclodioides, N. microlepis, N. Morsei, N. subelatum, N. yunnanense ; Polypodium convolutum, P. crinitum, P. intramarginale, P. mengtzeanum, P. micropteris, P. simulans, P. trichophyllum, P. xiphiopteris ; Selaginella Tansleyi.

Diagnoses Africanae.

Acidanthera Schinzii ; Anthericum recurvifolium ; Aristea parviflora ; Babiana orthosantha ; Eriospermum Cecili ; Geissorhiza inconspicua, G. parva, G. violacea ; Haemanthus Cecilae ; Hesperantha Pentheri ; Lapeyrousia Pentheri ; Moraea diphylla, M. fusca, M. monophylla ; Romulea rubrolutea, R. torta ; Scilla ciliata ; Watsonia caledonica.

BEAN, W. J.

CENTURY BOOK OF GARDENING.—Trees and Shrubs in Garden and Woodland, 1899, p. 371.

GARDENER'S ASSISTANT.—Trees and Shrubs, 1902, p. 283

FLORA AND SYLVA :—

1903. Vol. i., p. 73, Eucryphias.

1905. Vol. iii., p. 162, Chinese Rhododendrons.

GARDEN :—

1896. Vol. l., p. 122, The Genus Hydrangea ; p. 125, Hardy Shrubby Araliads ; p. 312, The Genus Prunus.

1897. Vol. li., p. 24, Hardy Ligustrums ; p. 72, The Genus Robinia ; p. 151, The Genus Akebia ; p. 302, The Genus Laburnum ; p. 375, The Judas Tree and its Allies (Cercis) ; p. 432, Colletias and Discarias.

Vol. lii., p. 28, The Genus Ledum ; p. 77, The Genus Kalmia ; p. 479, The Bamboo Garden at Kew ; p. 499, Hardy Clematis.

1898. Vol. liii., p. 66, The Elders (Sambucus) ; p. 130, Cistuses ; p. 242, the Genus Pterocarya ; p. 276, The Lilacs (Syringa) ; p. 381, The Birches (Betula) ; p. 470, Wistarias.

Vol. liv., p. 5, Buddleias ; p. 25, Climbing Honeysuckles ; p. 182, Himalayan Rhododendrons near London ; p. 242, The Species of Camellia ; p. 282, The Species of Azalea ; p. 349, The Hazels (Corylus) ; p. 490, The Shrubby Hypericums ; p. 505, The Hardy Sumachs.

1899. Vol. lv., p. 141, The Genus Stephanandra ; p. 185, The Genus Cotoneaster ; p. 267, The Beeches.

Vol. lvi., p. 77, The Viburnums ; p. 177, The Caraganas.

1900. Vol. lvii., p. 179, The Catalpas ; p. 361, The Halesias.

1902. Vol. lxi., p. 430, The Hardy Heaths.

1903. Vol. lxiii., p. 71, The Barberries.

GARDENERS' CHRONICLE :—

1896. Vol. xix., p. 423, Catalpas.

1897. Vol. xxi., p. 87, The Genus Crataegus ; p. 265, Amelanchiers.

Vol. xxii., p. 130, The Horse Chestnut and its Allies (Aesculus).

1898. Vol. xxiii., p. 305, Weeping Willows.

1901. Vol. xxix., p. 24, Arundinaria anceps (origin of) ; p. 363, The Planes (Platanus).

Vol. xxx., p. 334, The Walnuts (Juglans).

1902. Vol. xxxi., p. 187, Horse Chestnuts (Aesculus).

1903. Vol. xxxiv., p. 434, The Cydonias.

1904. Vol. xxxvi., p. 161, The Segrez Arboretum.

BEAN, W. J.—*continued.*

KEW BULLETIN :—

1906, p. 258, Trees and Shrubs in Scottish Gardens ; p. 379, South American Beeches.

BOODLE, L. A.

ANNALS OF BOTANY :—

1906. Vol. xx., pp. 293–299, with four figs. in text, The Monoecism of Funaria hygrometrica, *Sibth.* ; pp. 319–321, Lignification of Phloem in Helianthus.

KEW BULLETIN :—

1906, pp. 281–282, H. Marshall Ward (obituary notice).

BROWN, N. E.

THISELTON-DYER, FLORA CAPENSIS :—

1897. Vol. VII.

Pontederiaceae, pp. 1–2.

Xyrideae, pp. 2–7.

Xyris decipiens, X. Gerrardi.

Flagellarieae, pp, 15–16.

Typhaceae, pp. 30–32.

Aroideae, pp. 32–39.

Richardia Rehmanni.

Lemnaceae, pp. 39–41.

Eriocauleae, pp. 51–59.

Eriocaulon Bauri, E. transvaalicum, E. Woodii.

1900. Vol. VII., Addenda.

Restiaceae, pp. 751–758.

Elegia fusca, E. Galpinii, E. gracilis ; Hypolaena decipiens ; Restio comosus, R. foliosus, R. multicurvus, R. scaberulus, R. strictus ; Willdenovia decipiens, W. fraterna, W. Galpinii, W. peninsularis, W. simplex.

1905. Vol. IV., Sect. 1.

Vacciniaceae, pp. 1–2.

1905–1906. Vol. IV., Sect. 1.

Ericaceae, pp. 315–418.

Acrostemon concinnus, A. eriocephalus, A. Schlechteri, A. viscidus ; Aniserica gracilis ; Anomalanthus anguliger, A. collinus, A. curviflorus, A. Galpini, A. Marlothii, A. parviflorus, A. puberulus, A. turbinatus ; Blaeria

BROWN, N. E.—*continued.*

THISELTON-DYER, FLORA CAPENSIS :—

affinis, B. grandis; Coccosperma areolatum, C. subcapitatum; Eremiopsis curvistyla; Grisebachia alba, G. apiculata, G. Bolusii, G. minutiflora, G. Nivenii, G. nodiflora, G. pilifolia, G. rigida, G. similis, G. solivaga; Lagenocarpus ciliatus; Lepterica tenuis; Philippia Evansii; Platycalyx pumila; Salaxis major, S. pumila; Scyphogyne biconvexa, S. Burchellii, S. glandulifera, S. longistyla, S. micrantha, S. remota, S. rigidula, S. viscida, S. Schlechteri, S. trimera; Simocheilus acutangulus, S. albiramens, S. consors, S. dispar, S. globiferus, S. patulus, S. piquetbergensis, S. quadrisulcus, S. subrigidus; Sympieza articulata, S. breviflora, S. pallescens, S. vestita; Syndesmanthus breviflorus, S. elimensis, S. Erinus, S. globiceps, S. gracilis, S. Niveni, S. pulchellus, S. pumilus, S. Schlechteri, S. similis, S. sympiezoides, S. venustus, S. viscosus; Thoracosperma Galpinii, T. interruptum, T. Marlothii, T. nanum, T. puberulum.

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

1898. Vol. VII.

Orchideae, pp. 275–288.

Brownleea alpina, B. apetala; Disa aperta, D. Carsoni, D. concinna, D. robusta, D. Schimperi, D. zombica.

1901. Vol. VIII.

Pontederiaceae, pp. 1–6.

Monochoria africana.

Xyrideae, pp. 6–25.

Xyris angularis, X. aristata, X. Barteri, X. batokana X. decipiens, X. dispar, X. humpatensis, X. makuensis, X. multicaulis, X. obscura, X. zombana.

Rapateaceae, pp. 88–89.

Flagellarieae, pp. 90–91.

Typhaceae, pp. 133–137.

Aroideae, pp. 137–200.

Amorphophallus abyssinicus, A. accrensis, A. angolensis, A. Barteri, A. Baumannii, A. calabaricus, A. dracontioides, A. Fischeri, A. flavovirens, A. gallaensis, A. Goetzei, A. gratus, A. Johnsoni, A. laxiflorus, A. leopoldianus, A. maculatus, A. Mannii, A. maximus, A. Preussii, A. Schweinfurthii, A. Staudtii, A. Teuszii, A. Zenkeri; Anubias congensis, A. lanceolata; Arisaema ruwenzoricum; Cercestis kamerunianus, C. stigmaticus; Culcasia barombensis, C. gracilis, C. insulana, C. lancifolia, C. parviflora; Gonatopus angustus; Nephthytis constricta, N. Poissoni; Rhektophyllum mirabile;

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

Sauromatum angolense ; Stylochiton Barteri, S. borumensis, S. gabonicus, S. grandis, S. kerensis, S. lobatus, S. puberulus, S. salaamicus, S. similis ; Zyganthera Buttneri.

Lemnaceae, pp. 200–206.

Eriocauleae, pp. 230–264.

Eriocaulon decipiens, E. fulvum, E. Hanningtonii, E. Heudelotii, E. infaustum, E. Mannii, E. mutatum, E. plumale, E. senegalense, E. Stuhlmanni, E. subulatum ; Paepalanthus pulvinatus.

1902. Vol. VIII.

Restiaceae, pp. 264–266.

Hypolaena Mahoni.

Mayaceae, Addenda, p. 525.

1902–1903. Vol. IV., Sect. 1.

Asclepiadeae, pp. 231–503.

Anisopus bicoronata ; Asclepias abyssinica, A. angustata, A. coccinea, A. crinita, A. densiflora, A. dependens, A. foliosa, A. gigantiflora, A. laurentiana, A. lisianthoides, A. longissima, A. modesta, A. muhindensis, A. nutans, A. odorata, A. pachyclada, A. pubiseta, A. pulchella, A. rhacodes, A. robusta, A. rostrata, A. rubella, A. semilunata, A. sphacelata ; Brachystelma Schinzii ; Caralluma atrosanguinea, C. caudata, C. lateritia, C. Lugardi, C. maculata, C. robusta, C. vittata ; Ceropegia calcarata, C. floribunda, C. humilis, C. infausta, C. Johnsoni, C. kroboensis, C. kwebensis ; Cryptolepis Baumii, C. decidua, C. Hensii, C. nigritana, C. obtusa, C. producta, C. suffruticosa, C. triangularis ; Cynanchum Mannii, C. somaliense, C. validum ; Echidnopsis somalensis ; Fockea Lugardi ; Hoodia Lugardi ; Huernia concinna, H. macrocarpa ; Kanahia consimilis, K. glaberrima ; Marsdenia rubicunda ; Pachycarpus rhinophyllus ; Pentatropis fasciculatus ; Raphionacme denticulata, R. jurensis ; Schizoglossum aciculare, S. Carsoni, S. chlorojodinum, S. distinctum, S. dolichoglossum, S. eximium, S. gwelense, S. simulans, S. spurium, S. Welwitschii, S. Whytei ; Secamone floribunda, S. leonense, S. mombasica, S. usambarica, S. Whytei ; Sphaerocodon melananthus ; Stapelia kwebensis ; Stomatostemma Monteiroae ; Tacazzea africana, T. conferta, T. Kirkii, T. nigritana, T. rosmarinifolia, T. volubilis ; Tavaresia Barklyi ; Tenaris somalensis, T. subaphylla ; Toxocarpus brevipes, T. parviflorus, T. racemosus ; Tylophora anfracta; Xysmalobium barbigerum, X. bellum, X. Cecilae, X. dispar, X. grande, X. spathulatum, X. trilobatum.

BROWN, N. E.—*continued.*

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

1904. Vol. IV., Sect. 1.

Addenda, pp. 615–622.

Asclepias Buchwaldii, A. macropetala, A. stolzianus; Caralluma tombuctuensis ; Xysmalobium leucotrichum.

BOTANICAL MAGAZINE :—

1900, tt. 7704, 7705.

1904, t. 7987.

Kalanchoe Dyeri.

1905, tt. 7993, 8001, 8013, 8024, 8030, 8036, 8042.

Cotyledon elegans, C. insignis ; Plectranthus crassus ; Streptocarpus grandis.

1906, tt. 8066, 8071, 8079, 8082, 8096, 8104.

Cotyledon devensis x.

GARDENERS' CHRONICLE :—

1896. Vol. xix., p. 392, Acalypha Sanderi.

Vol. xx., p. 70, Aglaonema oblongifolium.

1897. Vol. xxii., p. 45, Stapelia cupularis.

1898. Vol. xxiii., p. 79, Coleus thyrsoideus, *Baker*.

Vol. xxiv., p. 210, Lonicera Hildebrandiana, *Collet and Hemsl.*

1901. Vol. xxix., p. 2, f. 1, Anthurium Bakeri, *Hk. f.*

Vol. xxx., p. 11, The flowering of Amorphophallus Titanum at Kew ; p. 302, Ceropegia Lugardae ; p. 318, Sempervivum velutinum ; p. 405, Stapelia incomparabilis ; p. 425, Stapelia atrosanguinea.

1902. Vol. xxxi., p. 106, Crassula conjuncta; p. 387, Kalanchoe kewensis x.

Vol. xxxii., p. 110, Kalanchoe Kirkii ; p. 171, Crassula congesta ; p. 190, Mesembryanthemum Mahoni ; p. 210, Kalanchoe diversa ; p. 350, Mesembryanthemum racemosum ; Richardia Sprengeri, *Comes* ; p. 411, f. 140, Epiphyllum delicatum ; p. 429, Crassula sedifolia.

1903. Vol. xxxiii., p. 3, Crassula decipiens ; p. 18, Rhipsalis gracilis ; p. 354, Caralluma inversa ; p. 370, Euphorbia Phillipsiae.

Vol. xxxiv., p. 49, Crinum Lugardae ; p. 93, Sauromatum brevipes ; p. 123, Corydalis tomentosa and C. Wilsoni ; p. 131, Mesembryanthemum mirabile; p. 414, Caralluma Marlothii.

1904. Vol. xxxv., p. 50, Huernia Pillansii ; p. 211, Pectinaria saxatilis ; Kalanchoe prasina ; p. 242, f. 100, Stapelia Pillansii ; Trichocaulon Pillansii.

BROWN, N. E.—*continued.*

GARDENERS' CHRONICLE :—

Vol. xxxvi., p. 162, Crassula "Justus Corderoy" x; p. 206, A remarkable flower of Stapelia revoluta; p. 304, Helicophyllum Alberti, *Regel;* p. 362, Anthurium pendulifolium.

1905. Vol. xxxvii., p. 49, Stapelia divergens; p. 370, Kalanchoe magnidens; K. angolensis.

1906. Vol. xxxix., p. 130, Aloe laxiflora; p. 161, Anthurium Forgeti.

Vol. xl., pp. 122 and 124, f. 49, Haplocarpha scaposa; pp. 383–4, ff. 145–148, Ceropegia similis and C. hybrida x.

HOOKER'S ICONES PLANTARUM :—

1896. Vol. xxv., pt. 4, tt. 2488, 2489, 2497, 2500.

Batesanthus purpureus; Marsdenia efulensis.

1897. Vol. xxvi., pt. 2, tt. 2526, 2527, 2528, 2529, 2530–32.

Cadaba termitaria; Stilbe mucronata.

1900. Vol. xxvii., pt. 2, tt. 2629, 2636A, 2636B.

Acicarpha rosulata; Benthamiella Nordenskioldii, *Dusen;* Genlisea guianensis.

1901. Vol. xxvii., pt. 4, t. 2692.

Lobostephanus palmatus.

1901. Vol. xxviii., pt. 1, tt. 2702, 2709–10.

Caesalpinia rostrata; Hermannia Johansseni.

1902. Vol. xxviii., pt. 2, tt. 2744, 2750.

Parapodium crispum.

1903. Vol. xxviii., pt. 3, t. 2754.

Brachystelma Johnstoni.

JOURNAL OF THE LINNEAN SOCIETY :—

1903. Vol. xxxvi. Index Florae Sinensis :—

Pontederiaceae, pp. 148–150.

Philydraceae, p. 150.

Xyrideae, pp. 150–151.

Commelinaceae, pp. 147–160.

Aveilema augustifolium, A. paucifolium; Forrestia chinensis.

Flagellariaceae, p. 160.

Juncaceae, pp. 160–166.

Luzula chinensis.

BROWN, N. E.—*continued.*

JOURNAL OF THE LINNEAN SOCIETY :—

Typhaceae, pp. 171–173.

Aroideae, pp. 173–188.

Alocasia hainanica ; Amorphophallus Henryi ; Arisaema asperatum, A. cordatum, A. pictum ; Pinellia cordata.

KEW BULLETIN :—

1896.

Decades Kewenses.

Alepidea setifera ; Crassula aloides ; Lyperia punicea ; Strychnos Gerrardi ; Trichilia alata ; Uvaria virens ; Xysmalobium obscurum.

1897.

Diagnoses Africanae.

Argyrolobium longipes ; Ceropegia fusiformis ; Cynanchum cucullatum, C. lineare, C. longipes ; Helichrysum concinnum ; Hermannia depressa, H. erecta ; Microcharis Galpini ; Rhaphidophora africana, R. pusilla.

1898.

Decades Kewenses.

Macroscepis elliptica.

Diagnoses Africanae.

Asclepias Nuttii ; Ceropegia papillata, C. paricyma, C. Perrottetii, C. pumila ; Huernia somalica ; Secamone Whytei.

1899, p. 55, Stapelia gigantea.

1901.

Diagnoses Africanae.

Arthrosolen fraternus ; Berkheya bilabiata, B. nivea, B. spinulosa ; Buchenroedera glabriflora ; Chaenostoma subnudum ; Cliffortia alata, C. Galpini ; Crassula variabilis ; Euryops floribundus ; Felicia lutea ; Geranium Brycei, G. multisectum ; Hyobanche Barklyi, H. rubra ; Lachnaea passerinoides ; Macowania glandulosa, M. pulvinaris ; Melolobium Burchellii ; Osteospermum glabrum ; Pentas Wyliei ; Phyllopodium alpinum ; Plectranthus albocoeruleus ; Protea curvata, P. subvestita ; Rhamphicarpa montana ; Salvia Burchellii ; Sebaea humilis, S. laxa ; Senecio viscidus ; Stachys albiflora, S. parilis ; Synadenium Cameronii ; Tecoma Brycei ; Tulbaghia campanulata ; Ursinia alpina ; Vigna nuda.

Decades Kewenses.

Caralluma torta ; Ceropegia perforata ; Echidnopsis Bentii ; Oxalis dispar.

P. 170, Dr. Peter Cormack Sutherland (obituary notice).

BROWN, N. E.—*continued.*

KEW BULLETIN :—

1906.

Decades Kewenses.

Spathanthus Jenmani ; Xanthosoma cordatum.

1906.

Diagnoses Africanae.

Abutilon Cecili ; Androcymbium decipiens ; Argyrolobium reflexum, A. variopile ; Asclepias fornicata ; Aspilia vulgaris ; Bothriocline inyangana ; Carissa Wyliei ; Celastrus albatus, C. concinnus ; Crassula Barklyi, C. sedifolia ; Cucumis Cecili ; Cyphia alba ; Dolichos lupiniflorus ; Dyschoriste matopensis ; Eriosema distinctum, E. longipes ; Euryops setiloba, E. striata ; Fadogia obovata ; Felicia Burchellii ; Gardenia Saundersiae ; Geophila Cecilae ; Helichrysum Galpinii, H. retortoides, H. Woodii ; Hermannia Gilfillani, H. longifolia ; Hibiscus mutatus ; Impatiens Cecili ; Indigofera Cecili, I. inyangana, I. longipes, I. notata ; Ipomoea Cecilae ; Kaempferia Cecilae ; Lapeyrousia rhodesiana ; Lotononis adpressa, L. Haygarthii ; Loranthus Cecilae, L. virescens ; Marsdenia rostrifera ; Melhania obtusa ; Muraltia ecornuta ; Orthosiphon dissimilis ; Otiophora inyangana ; Oxalis densa ; Pavetta Cecilae, P. pumila ; Pelargonium reliquifolium ; Plectranthus selukwensis ; Plectronia Gilfillani ; Polygala latipetala ; Pterocelastrus echinatus ; Pteronia sordida ; Rhus cuneata ; Rhynchosia reptabunda ; Schizoglossum altum ; Senecio vitalis ; Trichocaulon Alstoni ; Vernonia mashonica ; Wahlenbergia mashonica ; Zygophyllum Gilfillani.

TRANSACTIONS OF THE LINNEAN SOCIETY :—

1901. Ser. 2, Vol. VI., pp. 18–58 and 66–76, Report on two Botanical Collections from Roraima.

[Omitted from former list, *K.B.*, 1897, p. 1.]

TRANSACTIONS AND PROCEEDINGS OF THE BOTANICAL SOCIETY OF EDINBURGH :—

1894. Vol. xx., pp. 44–78. The Botany of the Pilcomayo Expedition.

Acalypha apicalis ; Beloperone Kerrii ; Diplokeleba floribunda ; Indigofera retrusa ; Ipomoea argentina, I. nuda, I. villicalyx ; Jacquemontia alba ; Passiflora Giberti ; Paullinia angusta ; Pavonia consobrina ; Pfaffia tenuis ; Piptadenia quadrifolia ; Solanum multispinum ; Stigmaphyllon calcaratum ; Tillandsia tomentosa ; Wedelia Kerrii, W. subvaginata ; Xylosma venosum.

FITZGERALD, THE HIGHEST ANDES.—Botany, 1899, pp. 361–375.

JOHNSTON, BRITISH CENTRAL AFRICA.—List of the Known Plants occurring in British Central Africa, 1897, Appx. 2, pp. 233–284.

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

1899, Vol. V.

Acanthaceae, pp. 1–44.

Brillantaisia debilis, B. leonensis, B. Nyanzarum, B. subulugurica ; Hygrophila acutisepala, H. Gigas, H. linearis, H. pilosa ; Synnema brevitubum ; Thunbergia crispa, T. Hanningtonii, T. lathyroides, T. mellinocaulis, T. sericea, T. stellarioides.

ANNALS OF BOTANY :—

1898. Vol. xii., p. 557, Changes in the Sex of Willows.

1899. Vol. xiii., p. 181, On Pelargonium rapaceum.

1901. Vol. xv., p. 186, Ovary of Parnassia palustris.

1903. Vol. xvii., p. 313, Flowers and Insects in Great Britain. Part 2 (with J. C. Willis).
P. 539, Flowers and Insects in Great Britain. Part 3 (with J. C. Willis).

ANNALS OF SCOTTISH NATURAL HISTORY :—

1903. Pp. 29–37, 99–103, Notes on the Anthophilous Insect Fauna of the Clova Mountains. (With J. C. Willis.)

1904. Pp. 166–168, Notes on the Anthophilous Insect Fauna of the Clova Mountains. Part 2 (with J. C. Willis).

HOOKER'S ICONES PLANTARUM :—

1898. Vol. xxvi., pt. 3, t. 2561.
Pittosporum spathaceum.

1899. Vol. xxvi., pt. 4, t. 2585.
Limacia monilifera.

1900. Vol. xxvii., pt. 2, t. 2630.
Dolicholobium acuminatum.

JOURNAL OF BOTANY :—

1897. Pp. 92–99, 138–145, 184–189, Fertilization of Spring Flowers on the Yorkshire Coast.

1901. Pp. 235–236, Trifolium pratense, var. parviflorum (Reprint).

BURKILL, I. H.—*continued.*

JOURNAL OF THE LINNEAN SOCIETY :—

1899. Vol. xxvi., Index Florae Sinensis :—

Cupuliferae : Betulae, pp. 496–500.

Cupuliferae : Coryleae, pp. 501–505.

Salicaceae, pp. 526–538.

Vol. xxxiv., pp. 268–276, On some African Labiatae with alternate Leaves. (With C. H. Wright.)

1901. Vol. xxxv., pp. 20–65, Flora of Vavau.

KEW BULLETIN :—

1898.

Diagnoses Africanae.

Trimeria tropica.

1899. Flora of British New Guinea.

Loranthus pachypus ; Pittosporum berberidoides, P. pullifolium ; Saurauja rufa.

1901.

Diagnoses Africanae.

Euphorbia calabarica.

Decades Kewenses.

Acomis Lesteri ; Boea hians ; Hoya subcalva ; Pterospermum Proteus.

1902. P. 4, Ginseng in China.

1906.

Decades Kewenses.

Dissochaeta pentamera ; Eugenia Prora.

P. 68, Bambarra Ground-Nut.

PROCEEDINGS OF THE CAMBRIDGE PHILOSOPHICAL SOCIETY :—

1896. Vol. ix., ii., p. 91, On a Collection of Plants from New Britain.

TRANSACTIONS OF THE LINNEAN SOCIETY :—

1901. Ser. 2, vol. vi., pp. 1–17, Report on Two Botanical Collections from Mt. Roraima, Introduction.

TRANSACTIONS AND PROCEEDINGS OF THE BOTANICAL SOCIETY OF EDINBURGH :—

1901. Vol. lxvi., pp. 109–125, The Phanerogamic Flora of the Clova Mountains. (With J. C. Willis.)

COTTON, A. D.

JOURNAL OF THE BOARD OF AGRICULTURE :—

1903. Vol. x., pp. 166–170, A Cucumber Leaf Disease.

JOURNAL OF THE LINNEAN SOCIETY :—

1906. Vol. xxxvii., pp. 288-297, On some Endophytic Algae.

KEW BULLETIN :—

1906. Pp. 367–373, Marine Algae from Corea.

Ceramium hamatum ; Dumontia simplex.

DUNN, S. T.

PRELIMINARY LIST OF THE ALIEN FLORA OF BRITAIN.—1903, pp. 30.

ALIEN FLORA OF BRITAIN.—1905, pp. xvi, 208.

GARDENERS' CHRONICLE :—

1902. Vol. xxxii., p. 210, New Chinese Leguminosae.

HOOKER'S ICONES PLANTARUM :—

1901. Vol. xxvii., pt. 4, t. 2700.

Lespedeza velutina.

Vol. xxviii., pt. 1, tt. 2712–4.

Clematis pterantha ; Illicium micranthum ; Parvatia decora.

1902. Vol. xxviii., pt. 2, tt. 2727, 2737, 2739, 2743B.

Carlesia sinensis ; Cryptotaeniopsis vulgaris ; Hartia sinensis ; Paradombeya sinensis.

JOURNAL OF THE LINNEAN SOCIETY :—

1903. Vol. xxxv., pp. 483–518, Descriptions of New Chinese Plants.

KEW BULLETIN :—

1906.

Decades Kewenses.

Actinidia curvidens, A. Henryi, A. rubricaulis ; Evodia colorata.

DUTHIE, J. F.

FLORA OF THE UPPER GANGETIC PLAIN :—

1905. Vol. i., pt. 2, Caprifoliaceae, Campanulaceae, pp. 401–500.

STRACHEY, CATALOGUE OF THE PLANTS OF KUMAON. Revised with supplement by J. F. D., 1906, pp. vii., 269.

ANNALS OF THE ROYAL BOTANIC GARDEN, CALCUTTA :—

1906. Vol. ix., pt. 2, pp. 81–211, tt. 58, Orchids of the N.-W. Himalayas.

DUTHIE, J. F.—*continued.*

Botanical Magazine :—

1905. tt. 8043, 8051.

1906. t. 8083, Deutzia Wilsoni.

Gardeners' Chronicle :—

1905. Vol. xxxvii., p. 178, Caltha elata ; p. 344, Primula Veitchii.

Vol. xxxviii., p. 42, Primula Tangutica ; p. 259, Primula pulverulenta ; p. 275, Buddleia nivea.

1906. Vol. xxxix., p. 52, Geranium platyanthum ; p. 229, Primula deflexa ; p. 358, Primula cognata.

Vol. xl., p. 238, Deutzia mollis, D. globosa, D. reflexa ; p. 334, Nepeta Wilsoni, N. Veitchii.

FARMAR, L.

Botanical Magazine :—

1905. tt. 8028, 8035.

1906. tt. 8054, 8060.

Bulletin de l'Herbier Boissier :—

1905. Sér. ii., vol. v., pp. 1085–1091, Contributions to our Knowledge of Australian Amarantaceae.

HEMSLEY, W. B.

Collett, Flora Simlensis, Introduction, 1902, pp. i.–lxviii.

Forbes and Hemsley, Index Florae Sinensis, 1886–1905.

Thiselton-Dyer, Flora of Tropical Africa :—

1906. Vol. IV., Sect. 2.

Scrophulariaceae, pp. 261–462. (With S. A. Skan.)

Bartsia Mannii, B. similis ; Pseudosopubia ambigua, P. elata, P. procumbens.

Annals of Botany :—

1896. Vol. x., pp. 221–284, Flora of Lord Howe Island.

1903. Vol. xvii., pp. 443–446, Diagnosis Specierum Generis Juliania ; pp. 743–760, On the Genus Corynocarpus, *Forst.*

1904. Vol. xviii., pp. 179–180, On the Genus Corynocarpus, Supplementary Note.

Botanical Magazine :—

1903, Co-editor. tt. 7907–10, 7914–17, 7919–22, 7924–31.

Agapetes Moorei ; Aloe Cameroni.

HEMSLEY, W. B.—*continued.*

BOTANICAL MAGAZINE :—

1904, Co-editor. tt. 7932–36, 7938, 7942–46, 7948–55, 7957–59, 7961–63, 7965, 7968–69, 7971–72, 7974–76, 7978–81, 7983–85, 7988, 7990.

Chrysanthemum ornatum ; Helipterum splendidum ; Marsdenia Imthurnii ; Pyrus niedzwetzkyana ; Thunbergia primulina ; Vellozia Kirkii, V. trichophylla.

1905. tt. 7997, 8002, 8004, 8006, 8008, 8010, 8014, 8016–19, 8022–23, 8027, 8029, 8032, 8037, 8039, 8045.

Derris alborubra, D. Hancei ; Nicotiana forgetiana ; Rosa Hugonis.

1906. t. 8067.

1906. The History of the Botanical Magazine, 1787–1904, prefixed to the Index to the Botanical Magazine, 1787–1904.

BOTANICAL MAGAZINE OF TOKYO :—

1901. Vol. xv., pp. 1–2, On Itoa.

GARDEN :—

1902. Vol. lxii., pp. 167–168, History of the Cherokee Rose.

1903. Vol. lxiii., pp. 246–247, The Herbarium Buildings of the Royal Botanic Gardens, Kew.

GARDENERS' CHRONICLE :—

1896. Vol. xix., pp. 43–44, Recent Botanical Discoveries in New Zealand ; p. 389, Some old Botanical Magazine Wrappers ; p. 579, Salernian School of Medicine ; p. 681, Campanula Regina ; pp. 731–732, Displacement and Replacement of the Native Vegetation of New Zealand.

Vol. xx, p. 464, Baron von Mueller (obituary notice) ; p. 651, Some more Botanical Magazine Wrappers.

1897. Vol. xxi., pp. 15 and 36, Sir Joseph Banks ; p. 36, Vegetation of Western Australia ; p. 320, Lilium peregrinum.

1898. Vol. xxiii., p. 93, William Cattley ; p. 110, Coriaria terminalis ; p. 301, Mr. John Weir (obituary notice) ; p. 321, Recent Botanical Discoveries in New Zealand ; p. 340, Sydenham Teast Edwards.

Vol. xxiv., p. 32, Dr. George Baur (obituary notice) ; p. 265, Cactaceae of the Galapagos Islands.

1899. Vol. xxv., p. 33, Flora of China.

Vol. xxvi., pp. 324 and 342, Recent Earthquakes in Darjeeling ; p. 353, Richard Weston, Esq., Author.

1900. Vol. xxvii., p. 177, Vegetation of the Galapagos Islands ; p. 399, Panax mastersianum, additional note only.

Vol. xxviii., p. 7, Cactaceae of the Galapagos Islands ; p. 220, Opuntia myriacantha ; p. 254, Spiraea Aitchisoni ; p. 286, Begonia Augustinei ; p. 349, Lysionotus carnosa ; p. 378, Fitchia speciosa.

HEMSLEY, W. B.—*continued.*

GARDENERS' CHRONICLE :—

1901. Vol. xxix., p. 417, The Tree-Lobelias of Tropical Africa.

Vol. xxx., p. 66, Begonia forgetiana ; pp. 85–86, Dr. Augustine Henry.

1902. Vol. xxxi., p. 289, A second edition of the Botanical Magazine.

1903. Vol. xxxiii., p. 81, Two new plants from China ; p. 258, Two new Spiraeas from China.

Vol. xxxiv., p. 370, The Chinese Tulip-Tree.

1904. Vol. xxxvi , p. 262, Fuchsias with white corollas.

1905. Vol. xxxvii., pp. 241–242 and 260, The Pitchers of Nepenthes ; p. 331, Primula cockburniana.

Vol. xxxviii., pp. 212–213, Senecio veitchianus and S. wilsonianus.

1906. Vol. xxxix., pp. 18–19 and 220, The genus Corylopsis ; p. 68, A new Chinese Lilac with pinnate leaves ; p. 115, A new species of Rodgersia ; p. 230, Primula orbicularis.

Vol. xl., p. 43, Senecio Faberi.

GARDENERS' MAGAZINE :—

1899. Vol. xlii., pp. 807–808 and 842–843, Ornamental Plants of China.

GEOGRAPHICAL JOURNAL :—

1903. Vol. xxi., p. 198, The Crozets.

HOOKER'S ICONES PLANTARUM :—

1896. Vol. xxv., pts. 3, 4, tt. 2467-72, 2485, 2487, 2491, 2495, 2498.

Littledalea tibetica ; Nepeta decolorans ; Oreosolen unguiculatus ; Polygonum tibeticum ; Sedum rotundatum ; Senecio Prattii.

1897. Vol. xxvi., pts. 1, 2, tt. 2503–12, 2515–16, 2519–22, 2524, 2533–38, 2540, 2542–50.

Anona Prestoei ; Cacoucia splendens ; Campylogyne exannulata ; Dorstenia arabica ; Eryngium columnare, E. cryptanthum, E. Galeottii, E. leptopodum, E. longipetiolatum, E. paucisquamosum, E. reptans, E. Schaffneri, E. sparganophyllum, E. spiculosum ; Ficus heteromorpha, F. kingiana, F. stenophylla ; Impatiens Flanaganae ; Omphalea megacarpa ; Tacca viridis ; Tradescantia orchidophylla.

1898. Vol. xxvi., pt. 3, tt. 2551–57, 2559–60, 2562–67, 2569–75.

Bassia Thurstonii ; Hevea confusa, H. minor ; Laportea longifolia ; Loeselia cordifolia ; Lucuma Hartii ; Passiflora fuchsiiflora ; Phyllanthodendron mirabilis ; Poupartia Fordii ; Tachiadenus elatus.

HEMSLEY, W. B.—*continued.*

HOOKER'S ICONES PLANTARUM :—

1899. Vol. xxvi., pt. 4, tt. 2576-77, 2579-84, 2586-95, 2598-2600.

Dicrastylis Carnegiei ; Eryngium Rosei, E. tenuissimum ; Fraxinus malacophylla ; Hevea similis ; Moseleya pinnata ; Oreomyrrhis linearis ; Petrocosmea iodioides, P. minor ; Quercus Carlesii ; Ranunculus similis ; Reinwardtia sinensis ; Saussurea Wellbyi ; Senecio Deasyi ; Smilax utilis ; Zanthoxylum multifoliolatum.

Vol. xxvii., pt. 1, tt. 2618–25.

Actinostemma biglandulosum ; Lespedeza diversifolia ; Passiflora franchetiana, P. Henryi ; Shortia sinensis.

1900. Vol. xxvii., pts. 2, 3, tt. 2626–29, 2631–35, 2637–39, 2642, 2644–45, 2647–51, 2653–58, 2663–65, 2668–75.

Aspidopterys obcordata ; Begonia bretschneideriana, B. Warpuri ; Botryopleuron venosum ; Castilloa Tunu ; Clerodendron subscaposum ; Cydonia cathayensis ; Dischidia Cominsii ; Eryngium Goldmani ; Helicia grandis ; Impatiens grandiflora ; Koelreuteria minor ; Leycesteria sinensis ; Lonicera calcarata ; Lysimachia insignis ; Onosma exsertum ; Pandanus Cominsii ; Plectranthus calcaratus ; Quercus fordiana, Q. Rex ; Sapium Jenmani, S. paucinervium, S. verum ; Shuteria sinensis ; Sloanea hongkongensis.

1901. Vol. xxvii., pt. 4, tt. 2676–84, 2688.

Castilloa australis ; Itoa orientalis ; Sapium ciliatum, S. cupuliferum, S. lateriflorum, S. mexicanum, S. Poeppigii, S. subsessile.

Vol. xxviii., pt. 1, tt. 2703, 2707–8, 2715–20, 2722–25.

Bretschneidera sinensis ; Embelia procumbens, E. saxatilis ; Juliania mollis ; Lepinia solomonensis ; Lysimachia trientalioides ; Scalesia retroflexa.

1902. Vol. xxviii., pt. 2, tt. 2726, 2728, 2730–32, 2734–36, 2738, 2740–41, 2747.

Ainsliaea elegans ; Archidendron solomonense ; Carolinella Henryi ; Diplopeltis eriocarpa ; Diuranthera major ; Excoecaria benthamiana ; Radermachera pentandra ; Thomassetia seychellana.

1903. Vol. xxviii., pt. 3, tt. 2751–52, 2757, 2761, 2765–68, 2774–75.

Aniba megacarpa ; Carolinella cordifolia, C. obovata ; Eryngium crassisquamosum, E. globosum, E. guatemalense, E. medium, E. Palmeri, E. stenolobum ; Eurya Henryi, E. obliquifolia ; Rhopalocarpus longipetiolatus, R. similis ; Wahlenbergia brevipes.

HEMSLEY, W. B.—*continued.*

HOOKER'S ICONES PLANTARUM :—

1905. Vol. xxviii., pt. 4, tt. 2776–83, 2785–92.

Erichsenia uncinata ; Grisollea Thomassetii ; Justicia patentiflora ; Microcorys Dielsii ; Micromyrtus Erichsenii ; Phyllota Georgii ; Thiseltonia Dyeri.

1906. Vol. xxix., pt. 1, tt. 2801–2, 2804–21.

Aleurites Fordii ; Clematoclethra disticha, C. grandis, C. Wilsoni ; Corylopsis glandulifera, C. Henryi, C. manipurensis, C. Wilsoni ; Diospyros sinensis ; Eryngium pilularioides ; Gardenia cornuta ; Geopanax procumbens ; Indokingia crassa ; Neoschimpera heterophylla ; Stevia rebaudiana ; Sinowilsonia Henryi ; Toxocarpus schimperianus ; Tristiropsis Ridleyi.

JOURNAL OF BOTANY :—

1906. Pp. 329–332, William Mitten.

JOURNAL OF THE LINNEAN SOCIETY :—

1896. Vol. xxxi., pp. 306–311, Some Remarkable Phanerogamous Parasites.

1899–1905. Vol. xxvi., p. 457–end, and Vol. xxxvi., Index Florae Sinensis. Editor.

1899. Vol. xxvi., Index Florae Sinensis :—

Urticaceae (to end of Ficus), pp. 457–469.

1900. Vol. xxxiv., pp. 474–478, Notes on an Exhibition of Plants from China recently collected by Dr. A. Henry and Mr. W. Hancock.

1901. Vol. xxxv., pp. 78–90, On a small collection of dried plants obtained by Sir Martin Conway in the Bolivian Andes. (With H. H. W. Pearson.)

1902. Vol. xxxv., pp. 124–265, Flora of Tibet.

1903. Vol. xxxv., pp. 515–518, Descriptions of New Chinese Plants by S. T. Dunn.

Aeschynanthus buxifolius, A. humilis ; Rhabdothamnopsis sinensis.

Pp. 556–559, On the Germination of the Seeds of Davidia involucrata.

KEW BULLETIN :—

1896.

Decades Kewenses.

Begonia bonthainensis, B. Somervillei, B. Weigallii ; Clematis Everettii ; Cremaspora coffeoides ; Diclis tenella ; Elaeocarpus fauroensis, E. floridanus, E. rarotongensis ; Freycinetia Beccarii, F. caudata, F. Creaghii,

HEMSLEY, W. B.—*continued.*

KEW BULLETIN :—

F. formosana, F. humilis, F. marantifolia, F. philippinensis, F. rigidifolia, F. sumatrana, F. Vidalii ; Gentiana lateriflora ; Loranthus celebicus ; Ophiorrhiza pileoides ; Osmanthus Cooperi ; Podocarpus celebica ; Scaevola similis ; Senecio Everettii ; Strobilanthes Everettii ; Trachymene celebica.

1897.

Diagnoses Africanae.

Cacoucia Barteri.

1899. Flora of British New Guinea.

Gentiana Giulianettii, G. Macgregorii ; Havilandia papuana ; Myrsine papuana ; Pygeum costatum, P. papuanum ; Symplocos Englishii, S. orbicularis ; Triplostegia repens.

1901.

Decades Kewenses.

Aristolochia gracillima ; Elatostema peltatum.

1901. P. 84, Ormonde House.

1906. Pp. 119–121, Revision of the Synonymy of the Species of Aleurites ; pp. 147–163, Some new Chinese Plants (with E. H. Wilson) ; pp. 177–179, Collection of Drawings of Orchids by the late John Day ; p. 232, Rhododendron aucubifolium ; pp. 283–284, William Mitten, A.L.S., Bryologist ; pp. 293–294, Discovery of Goodyera repens in Norfolk ; pp. 365–366, A new Fruit from Uruguay ; pp. 392–393, F. W. Burbidge (obituary notice).

KNOWLEDGE :—

1896. Some Curious Facts in Plant Distribution. A series of six articles.

1897. On the Vegetation and some of the Vegetable Productions of Australasia. A series of four articles, illustrated.

NATURE :—

1903. Vol. lxvii., p. 223, Local Floras of India ; p. 498, Progress of the New Vegetation of Krakatoa.

Vol. lxviii., pp. 58–59, Enlargement of the Kew Herbarium.

PROCEEDINGS OF THE ROYAL SOCIETY OF LONDON :—

1906. Ser. B, Vol. lxxviii., pp. 231–236, On the Julianiaceae.

SCIENCE PROGRESS :—

1894–96. Insular Floras. A series of seven articles.

TRANSACTIONS OF THE LINNEAN SOCIETY :—

1903. Ser. 2, Vol. vi., pp. 261–313, Cheeseman's Flora of Rarotonga.

Meryta pauciflora ; Pittosporum rarotongensis ; Weinmannia rarotongensis ; Xylosma gracile.

HILLIER, J. M.

GARDENERS' MAGAZINE :—

1901. Vol. xliv., p. 794, Bananas and Plantains.

KEW BULLETIN :—

1898. P. 86, Botanical Museums in Belgium and Holland.
1899. P. 219, Lungan Pulp.
1900. P. 1, Botanical Museums in France.
1904. P. 6, Alder clog soles.
1906. P. 109, Persian Gum ; p. 117, Chinese Wood Oil ; p. 171, Miraculous Fruits of West Africa ; p. 197, East Indian Dragon's Blood ; p. 199, Ogea Gum ; p. 218, Colorado Rubber ; p. 373, Barwood.

HOLLAND, J. H.

RUBBER CULTIVATION IN WEST AFRICA :—1901, p. 7, tt. 5.

JOURNAL OF THE AFRICAN SOCIETY :—

1905. No. xv., p. 310, Scirpus lacustris.

KEW BULLETIN :—

1906. Pp. 172–173, The Eben Tree of Old Calabar ; pp. 241–242, with chart, The Rise and Fall in Prices of Para Rubber.

NATURALIST :—

1903, pp. 51–54 ; 1904, pp. 114–119 ; 1905, pp. 93–96, 121, 125, Economic Fungi.

HUTCHINSON, J.

KEW BULLETIN :—

1906.

Diagnoses Africanae.

Anisopappus Junodi ; Guarea Thompsoni, *Sprague et Hutchinson* ; Pentanisia Sykesii ; Sphacophyllum flexuosum.

Decades Kewenses.

Gurania Eggersii, *Sprague et Hutchinson*, G. phanerosiphon, *Sprague et Hutchinson.*

MASSEE, G.

A TEXT BOOK OF PLANT DISEASES.—

1899, pp. 443, 93 figs. ; Ed. 2, 1903, pp. 472, 95 figs.

EUROPEAN FUNGUS-FLORA.—1902, pp. 274.

A TEXT BOOK OF FUNGI.—1906, pp. 427, 141 figs.

THE FUNGUS-FLORA OF YORKSHIRE.—1906, pp. 396.
(With Charles Crossland.)

THE VICTORIAN COUNTY HISTORY : SURREY :—
Fungi, p. 431.

MASSEE, G.—*continued.*

ANNALS OF BOTANY :—

1896. Vol. x., pp. 123–184, pl. 10–11, A Revision of the Genus Coprinus.

1897. Vol. xi., pp. 225–306, pl. 11–13, A Monograph of the Geoglosseae.

1901. Vol. xv., pp. 313–357, pl. 17–18, Researches on Coprophilous Fungi. (With E. S. Salmon.)

1902. Vol. xvi., pp. 57–93, pl. 4–5, Researches on Coprophilous, Fungi, II. (With E. S. Salmon.)

1904. Vol xviii., pp. 319–320, On the Origin of Parasitism in Fungi ; pp. 459–504, pl. 32, A Monograph of the Genus Inocybe, *Kursten.*

1905. Vol. xix., p. 325, 1 fig., On the presence of binucleate cells in the Ascomycetes.

BULLETIN OF THE TORREY BOTANICAL CLUB :—

1901. Vol. xxviii., p. 519, Dacryopsis Ellisiana.

GARDENERS' CHRONICLE :—

1898. Vol. xxiii., p. 293, 1 fig., Bean canker.

Vol. xxiv., pp. 124–125, A Paeony disease ; p. 269, 1 fig., Chrysanthemum Rust.

1899. Vol. xxv., p. 351, A Paeony disease.

Vol. xxvi., p. 291, 1 fig., A fungus parasite on Aloe.

1900. Vol. xxvii., p. 101, 1 fig., A disease of Conifers.

Vol. xxviii., p. 143, 1 fig., Appearance of American Gooseberry Mildew in Ireland.

1902. Vol. xxxii., p. 235, 1 fig., A disease of Nursery Stock.

1903. Vol. xxxiii., p. 14, 1 fig., An introduced Parasite on Grass.

Vol. xxxiv., p. 347, 1 fig., Diseases of Seedling Conifers.

1904. Vol. xxxvi., p. 4, 1 fig., Cluster Cups on Anemones ; p. 349, Discovery of the fruit of the Apple Mildew in England.

1905. Vol. xxxviii., p. 125, 1 fig., Cactus scab.

P. 153, 1 fig., A new Orchid disease.

Hemileia americana.

Pp. 433–434, Legislation and the Spread of Plant Diseases caused by Fungi.—Continued p. 458 and 1906, vol. xxxix., p. 12.

1906. Vol. xxxix., p. 107, Legislation and the Spread of Fungus Disease.

JOURNAL OF BOTANY :—

1896. Vol. xxxiv., pp. 145–154, pl. 357, New or Critical Fungi.

Barlaea subaurantiaca ; Clavaria Kewensis ; Clypeum peltatum ; Dasyscypha aurea, D. Eupatorii, D. trabinelloides ; Dothidea Alyxiae ; Erinella novae-zelandiae ; Geoglossum

MASSEE, G.—*continued.*

JOURNAL OF BOTANY :—

lignicolum ; Hypocrella ochracea, H. oxyspora ; Microthyrium Psychotriae ; Mollisia chionea ; Ombriophila aterrima ; Pluteus giganteus ; Polyporus diminutus ; Pyrenopeziza Ellisii ; Scleroderris virescens ; Scutularia gallica ; Sporotrichum arabicum ; Spragueola americana.

JOURNAL OF THE BOARD OF AGRICULTURE :—

1900–01. Vol. vii., pp. 10–16, 1 pl., Fungoid Diseases of the Roots of Fruit Trees.

1902–03. Vol. ix., pp. 176–188, pl. 1–3, Larch and Spruce Fir Canker.

JOURNAL OF THE LINNEAN SOCIETY :—

1896. Vol. xxxi., pp. 462–525, pl. 16–18, Redescriptions of Berkeley's types of Fungi.

1900. Vol. xxxiv., pp. 438–448, pl. 15–16, On the Origin of the Basidiomycetes.

1901. Vol. xxxv., pp. 90–119, pl. 4–5, Redescriptions of Berkeley's Types of Fungi.

JOURNAL OF THE ROYAL HORTICULTURAL SOCIETY :—

1896. Vol. xix., p. 21. The "Sleepy Disease" of Tomatoes.

1903. Vol. xxvii., pp. 142–145, On a Method of rendering Cucumber and Tomato plants immune against Fungus Parasites ; pp. 172–173, Diseased Pelargoniums from the Transvaal.

1904–05. Vol. xxix., p. 139, Some Diseases of the Potato.

KEW BULLETIN :—

1896. Pp. 1–5, 1 pl., Root Diseases caused by Fungi.

1897. Pp. 87–90, 1 pl., A Lily Bulb Disease.
Rhizopus necans.
Pp. 115–167, 2 pl., Mycologic Flora of the Royal Gardens, Kew.
P. 423, Slime-Flux.

1898. Pp. 105–112, Tea Blights.
Exobasidium vexans ; Stilbum nanum.
Pp. 113–136.

Fungi Exotici, I.

Aleurina tasmanica ; Catinula leucoxantha ; Chlorophyllum esculentum ; Clitocybe lilacina ; Collybia rupicola ; Daldinia aspera ; Dimerosporium tasmanicum ; Diplodina Arenariae ; Epiclinium Cumminsii ; Erinella corticola ; Eutypa erumpens ; Fusarium pannosum ; Gambleola cornuta ; Genabea tasmanica, *Mass. et Rod.* ; Geopyxis elata ; Gibbera fulvella ; Gymnomyces pallidus, *Mass. et Rodw.*, G. seminudus, *Mass. & Rodw.* ; Hymenogaster albellus, *Mass. & Rodw.* ; H. Rodwayi, H. violaceus, *Mass. & Rodw.* ; Hypholoma glutinosum ; Hypocrea

MASSEE, G.—*continued.*

KEW BULLETIN :—

nebulosa ; Hysterangium affine, *Mass. & Rodw.*, H. fusisporum, *Mass. et Rodw.*, H. viscidum, *Mass. et Rodw.* ; Lachnocladium himalayense ; Lentinus crenulatus ; Lepiota altissima ; Leptonia Rodwayi ; Libertella aurantiaca ; Marasmius erumpens, M. tinctorius ; Necator decretus ; Nidularia fusispora ; Parodiella maculata ; Patellaria Maura ; Polystictus obliquus ; Quaternaria aspera ; Rosellinia picacea ; Russula coccinea ; Stagonospora chalybea ; Triglyphium niveum ; Uredo Oldenlandiae ; Xylaria Ridleyi.

Pp. 321–326, 1 pl., Gummosis of Prunus japonicus, *Thunb.*

1899. Pp. 1–6, 1 pl., Cacao Disease in Trinidad.
Nectria Bainii.

Pp. 25–27, 1 pl., Plant diseases, I.—Tree root Rot.

P. 91, Colletotrichum Camelliae.

P. 141–159, 1 pl., A revision of the genus Tilletia.
Tilletia Berkeleyi, T. hyalospora, T. mixta.

Pp. 164–185.

Fungi Exotici, II.

Aposphaeria Alpiniae ; Aulographum maximum ; Bolbitius longipes ; Boletus Rodwayi ; Botryosphaeria Anthuriicola ; Ceuthospora innumera ; Cladoderris cartilaginea ; Claudopus griseus ; Clavaria Candelabra, C. Ridleyi ; Clypeolum sparsum ; Collybia Eucalypti ; Coprinus coffeicola, C. leviceps ; Cordyceps lignicola, C. Ridleyi ; Crepidotus Ridleyi ; Diplodia Tragiae ; Favotus purpureus ; Flammula ornata ; Geaster lilacinus, G. Maurus ; Gloeosporium Araucariae ; Gyrocephalus luteus ; Helminthosporium obclavatum ; Hydnum crinigerum, H. Gleadonii, H. tapienum ; Hygrophorus Rodwayi ; Hymenogaster nanus, *Mass. & Rodw.* ; Hymenopsis Cudraniae ; Hypholoma bermudiense ; Hypocrella Panici, H. Zingiberis ; Hysterangium neglectum *Mass. & Rodw.* ; Inocybe violacea ; Lembrosia geographica ; Lentinus sericeus ; Leptonia obscura ; Marasmius excentricus ; Mollisia albo-flava, M. cinnabarina, M. rosea ; Mycena crassipes, M. gigantospora, M. repertitia ; Myxomycidium pendulum ; Ombrophila aurantiaca ; Omphalia tenera ; Paxillus Osteopaeon ; Peziza martialis, P. tomentosa ; Phoma Podocarpi ; Phyllachora ulcerata ; Pleurotus cretaceus ; Pluteus phaeus ; Polyporus albellus, P. tasmanicus ; Polystictus licmophorus ; Psathyra campanulata, P. cyclospora ; Psathyrella albida ; Psilocybe oedipus ; Puccinia decipiens ; Sphacelia Oryzae ; Stereum aterrimum ; Tremella picea, T. vinosa ; Tremellodon aurantiacum ; Trichosporium aterrimum, T. purpureum ; Ustilago goniospora, U. Stenotaphri ; Xerotus atrovirens ; Xylaria aspera.

Pp. 214–215, Report on Maromba Vine Disease in Portugal.

MASSEE, G.—*continued.*

KEW BULLETIN :—

1900. Pp. 87–89, 1 pl., Plant Diseases, II.—Leaf Curl ; III.—Sycamore Leaf Blotch ; pp. 94–99, 1 pl., South African Locust Fungus.

1907. Pp. 150–169.

Fungi Exotici, III.

Agaricus Woodrowii ; Amanita grisea, *Mass. & Rodw.* ; Asterina Systema-solare ; Auerswaldia maxima ; Battarrea laevispora ; Boletus Ridleyi ; Bulgaria turbinata ; Cerion coccineum ; Clavaria bicolor, C. ornithopoda ; Collybia olivacea ; Coniothecium Acanthophylli ; Cyphella lilacina ; Dendryphium effusum ; Diplodia Ochrosiae ; Gloeocalyx Bakeri ; Haplosporella violacea ; Helminthosporium Coffeae ; Helotium prasinum ; Heterosporium Calandriniae ; Humaria coccinea ; Hydnum pexatum ; Hymenogaster albidus *Mass. & Rodw.* ; Hypochnus chlorinus ; Hysterium vermiforme ; Irpex depauperatus ; Isaria acervata ; Karschia Atherospermae ; Laestadia insidiosa ; Leciodiographa Brownii ; Lentinus flavidus ; Lepiota Johnsonii ; Leptonia bicolor, L. tricolor ; Lycoperdon tasmanicum ; Melanconium Eucalypti ; Mycena sphaerospora ; Nectria verrucosa ; Pestalozzia vermiformis ; Peziza plicata ; Phaeopezia ochracea ; Pholiota indica ; Phoma sycophila ; Pilobolus pullus ; Pistillaria Johnsonii ; Pleurotus macilentus, P. membranaceus ; Polyporus Hollandii ; Polystictus Gleadowii, P. nigripes ; Psathyra nana ; Psilocybe citrina ; Puccinia pallida ; Rhinocladium corticolum ; Rosellinia echinata ; Secotium Rodwayi ; Sporodesmium Brassicae ; Stilbum albipes ; Trogia hispida ; Ustilago microspora ; Uromyces Bolusii.

1906. Pp. 35–42, 1 pl., Revision of the Genus Hemileia, *Berk.* Hemileia indica.

Pp. 46–47, 1 pl., New and Additional Species of Fungi occurring in the Royal Botanic Gardens, Kew.

Bolbitius umbonatus ; Dasyscypha abscondita ; Marasmius opalinus.

Pp. 49–60, fig. 1–5, Plant Diseases, IV.—Diseases of Beet and Mangold.

Pp. 91–94.

Fungi Exotici, IV.

Auricularia Butleri ; Daedalea suberosa ; Lepiota microspora ; Leptonia altissima ; Omphalia Rogersi ; Panus ochraceus ; Polystictus villosus ; Poria chlorina ; Psilocybe tibetensis ; Stereum papyraceum.

Pp. 110–112. Perpetuation of "Potato Disease" and Potato "Leaf Curl" by means of hybernating mycelium ; pp. 193–196, Plant Diseases, V.—Diseased Apples and Melons from the Cape of Good Hope ; pp. 242–245, Plant Diseases, VI.—Potato Leaf Curl.

MASSEE, G.—*continued.*

KEW BULLETIN :—

Pp. 256–258.

Fungi Exotici, V.

Aposphaeria Canavaliae ; Calonectria gigaspora ; Colletotrichum echinatum ; Craterellus verrucosus ; Hydnum lateritium ; Polystictus Ridleyi ; Stilbospora Cacao ; Tryblidiella tetraspora ; Xylaria fibula.

NATURAL SCIENCE :—

1898. Vol. iii., pp. 204–209, The Cereal Rust problem : Does Eriksson's Mycoplasma exist in Nature ?

NATURALIST :—

1906. Pp. 6–10, New and Rare British Fungi.

NATURE :—

1903. Vol. lxviii., p. 296, Distribution of Calostoma.

PHILOSOPHICAL TRANSACTIONS OF THE ROYAL SOCIETY :—

1905. Ser. B. Vol. 197, pp. 7–24, On the Origin of Parasitism in Fungi.

TORREYA :—

1906. Vol. vi., pp. 48–50, figs. 1–5, A Fungus parasitic on a moss.

Epicoccum torquens.

TRANSACTIONS OF THE NEW ZEALAND INSTITUTE :—

1898. Vol. xxxi., pp. 282–348, pl. 22–24, The Fungus-Flora of New Zealand.

TRANSVAAL AGRICULTURAL JOURNAL :—

1905. P. 130, Mildew of Vegetable Marrow ; p. 318, Eel-worms in Tobacco roots ; p. 567, Disease of Kaffir-Corn.

PEARSON, H. H. W.

THISELTON-DYER, FLORA CAPENSIS :—

1901. Vol. V.

Verbenaceae (unfinished), pp. 180–224.

Bouchea glandulifera, B. longipetala ; Clerodendron simile ; Lantana galpiniana ; Lippia bazeiana, L. pretoriensis, L. Rehmanni, L. Wilmsii ; Vitex geminata, V. guerkeana, V. harveyana, V. reflexa.

ANNALS OF BOTANY :—

1903. Vol. xvii., pp. 617–618, The Double Pitchers of Dischidia Shelfordii.

HOOKER'S ICONES PLANTARUM :—

1900. Vol. xxvii.. pt. 2, t. 2643.

Cochlearia Hobsoni.

PEARSON, H. H. W.—*continued.*

HOOKER'S ICONES PLANTARUM :—

1901. Vol. xxvii., pt. 4, t. 2691.
Geophila pilosa.

1901. Vol. xxviii., pt. 1, tt. 2704–6.
Cuscuta Hygrophilae; Pentaphragma albiflorum; Vitex mooiensis.

JOURNAL OF THE LINNEAN SOCIETY :—

1899. Vol. xxxiv., pp. 300–365, Botany of the Ceylon Patanas. Part I.

1901. Vol. xxxv., pp. 78–90, On a Small Collection of Dried Plants obtained by Sir Martin Conway in the Bolivian Andes (With W. B. Hemsley).

1902. Vol. xxxv., pp. 124–265, Flora of Tibet (With W. B. Hemsley).

1902. Vol. xxxv., pp. 375–390, On some Species of Dischidia with double Pitchers.

1903. Vol. xxxv., pp. 430–463, Botany of the Ceylon Patanas. Part II. (With J. Parkin).

KEW BULLETIN :—

1901. **Decades Kewenses.**
Clerodendron Curtisii.

1906. **Decades Kewenses.**
Connaropsis acuminata; Cuscuta Upcraftii; Euthemis ciliata; Semecarpus cinerea; Swintonia puberula.

PRAIN, D.

ANNALS OF BOTANY :—

1906. Vol., xx., pp. 323–370, A Review of the Genera Meconopsis and Cathcartia.

BOTANICAL MAGAZINE :—

1906, t. 8092.
Ficus Krishnae.

HOOKER'S ICONES PLANTARUM :—

1906. Editor. Vol. ix., pt. 1.

JOURNAL OF BOTANY :—

1906. Pp. 4–8, The Genus Ceratostigma.
Pp. 370–375, Charles Baron Clarke (obituary notice).

KEW BULLETIN :—

1906. Pp. 271–281, C. B. Clarke (obituary notice).
Pp. 384–392, G. C. Churchill (obituary notice).

NATURE :—

1906. Vol. lxxiv., p. 495, Charles Baron Clarke (obituary notice).

ROLFE, R. A.

AMES, STUDIES IN THE ORCHIDACEAE, 1905.

Acoridium Whitfordii ; Bulbophyllum cuneatum, B. dasypetalum, B. lasioglossum, B. Whitfordii ; Ceratostylis philippinensis ; Dendrobium acuminatum ; Eria graciliscapa ; Phreatia luzoniensis ; Trichoglottis flexuosa.

THISELTON-DYER, FLORA CAPENSIS :—

1901. Vol. V.

Myoporineae and **Selagineae**, pp. 92–180.

Dischisma crassum ; Hebenstreitia Cooperi, H. Dregei, H. minutiflora, H. pubescens, H. Rehmanni, H. Sutherlandi, H. Watsoni ; Selago aggregata, S. Atherstonei, S. Bolusii, S. brevifolia, S. Burchelli, S. Burkei, S. compacta, S. Cooperi, S. corrigioloides, S. curvifolia, S. diosmoides, S. elata, S. ferruginea, S. Flanagani, S. foliosa, S. Forbesii, S. fruticulosa, S. humilis, S. lepidioides, S. linearifolia, S. linearis, S. lithospermoides, S. longiflora, S. longipedicellata, S. longituba, S. lydenbergensis, S. Morrisii, S. Muddii, S. Mundii, S. natalensis, S. Nelsoni, S. ovata, S. pachypoda, S. pubescens, S. punctata, S. ramosissima, S. Rehmanni, S. rigida, S. robusta, S. Rustii, S. Sandersoni, S. Saundersiae, S. Schlechteri, S. setulosa, S. speciosa, S. Thomii, S. transvaalensis, S. Tysoni, S. villicalyx, S. villicaulis, S. villosa, S. Wilmsii, S. Woodii, S. Zeyheri ; Walafrida crassifolia, W. gracilis, W. Macowani, W. minuta, W. polystachya, W. pubescens, W. squarrosa, W. tenuifolia, W. zuurbergensis.

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

1897. Vol. VII.

Orchideae, pp. 12–192.

Ancistrochilus Thomsonianus ; Angraecum Batesii, A. caespitosum, A. clavatum, A. dives, A. Kirkii; A. lagosense, A. Moloneyi, A. mombasense, A. pachyurum, A. Thomsoni, A. Wakefieldii ; Calanthe Volkensii ; Epipactis somaliensis ; Eulophia aurantiaca, E. Bainesii, E. brevipetala, E. Buchananii, E. Carsoni, E. Coleae; E. crinita, E. dichroma, E. Elliotii, E. Holubii, E. Johnstoni, E. Kirkii, E. lanceolata, E. lata, E. leonensis, E. macrantha, E. manganensis, E. monticola, E. Nuttii, E. Phillipsiae, E. Smithii, E. speciosa, E. stricta, E. tanganyikensis, E. Thomsoni ; Liparis ruwenzoriensis ; Lissochilus Carsoni, L. congoensis, L. elatus, L. Erythraeae, L. Holubii, L. Johnstoni, L. Kirkii, L. Kraenzlinii, L. latus, L. Millsoni, L. Monteiroi, L. Nyasae, L. Rendlei, L. Smithii, L. Thomsoni, L verrucosus, L. Volkensii, L. Wilsoni ; Listrostachys acuminata, L. Batesii, L. bistorta, L. Erythraeae, L. gabonensis, L. Hookeri, L. iridifolia, L. Kirkii, L. multiflora, L. Whytei ; Megaclinium Lindleyi, M. Millenii, M. platyrhachis ; Mystacidium Batesii, M. curvatum, M. longicaudatum, M. pedunculatum, M. Walleri ; Pogonia

ROLFE, R. A.—*continued.*

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

Buchanani, P. shirensis ; Polystachya confusa, P. Johnstoni, P. Kraenzlinii, P. Mannii, P. Rendlei, P. Ridleyi, P. zanguebarica ; Pteroglossaspis Carsoni ; Stenoglottis zambesiaca ; Zeuxine Batesii.

1898. Vol. VII., pp. 193–275, 288–292, 569–575.

Brachycorythis Lastii, B. parviflora ; Cynorchis Buchanani, C. Hanningtoni, C. Johnstoni, C. Kirkii, C. Usambarae ; Deroemera triloba ; Disperis Preussii ; Habenaria calva, H. clarencensis, H. confusa, H. Erythraeae, H. Holubii, H. insignis, H. Johnsoni, H. longistigma, H. Lugardii, H. lykipiensis, H. Nicholsoni, H. Rendlei, H. rhopalostigma, H. Schinzii, H. villosa ; Holothrix Lastii, H. Nyasae ; Mystacidium angustum ; Platanthera uncata ; Podandria macrandra ; Satyrium breve, S. Buchananii, S. Carsoni, S. cheirophorum, S. densum, S. elongatum, S. Johnsoni, S. Kirkii, S. Kraenzlinii, S. longissimum, S. minax, S. Nuttii, S. occultum, S. orbiculare, S. sacculatum, S. shirense, S. zombense.

1900. Vol. V.

Myoporineae and **Selagineae**, pp. 262–272.

Hebenstreitia Holubii ; Selago amboensis, S. angolensis, S. blantyrensis, S. Buchanani, S. coerulea, S. Dinteri, S. Hoepfneri, S. Holstii, S. Holubii, S. Melleri, S. Nyasae, S. tenuicaulis, S. viscosa.

BOTANICAL MAGAZINE :—

1904. t. 7964.

1905. tt. 7996, 8000, 8003, 8007, 8020, 8026, 8031, 8033, 8041, 8044, 8047.

Bulbophyllum crenulatum ; Cirrhopetalum breviscapum ; Lissochilus Mahoni, L. Ugandae.

1906. tt. 8053, 8057, 8062, 8070, 8074, 8084, 8088, 8093, 8097, 8100, 8103, 8106, 8109.

Listrostachys hamata.

ENGLER'S JAHRBUCHER :—

1901. Vol. xxx., p. 402.

Selago Goetzei.

GARDENERS' CHRONICLE :—

1896. Vol. xix., pp. 105–6, 198–9, 232–4, Natural Hybrid Orchids.

1904. Vol. xxxv., p. 258, Dendrobium bellatulum ; p. 259, Coelogyne venusta ; p. 338, Cymbidium Parishii var. Sanderae ; p. 387, Cymbidium insigne.

Vol. xxxvi., p. 49, Potentilla nepalensis var. Willmottiae ; p. 141, Cochlioda brasiliensis ; p. 266, Bulbophyllum Gentilii.

ROLFE, R. A.—*continued.*

GARDENERS' CHRONICLE :—

1905. Vol. xxxvii., p. 227, Coelogyne Lawrenceana; p. 243, Cymbidium Schroederi; p. 391, Arachnanthe annamensis.

Vol. xxxviii., p. 197, Eulophia paniculata; p. 198, Eulophia undulata; p. 427, Cymbidium erythrostylum; p. 449, Eria globifera; p. 450, Bonatea antennifera.

1906. Vol. xxxix., p. 115, Pleione yunnanensis; p. 185, Dendrobium Wilsoni; p. 274, Mexican Eupatoriums.

HOOKER'S ICONES PLANTARUM :—

1896. Vol. xxv., pt. 2, t. 2445.
Pt. 3, t. 2461.
Homalopetalum jamaicense.
Pt. 4, t. 2496.
Habenaria polytricha.

1899. Vol. xxvii., pt. 1, tt. 2616, 2617.
Giulianettia tenuis.

1901. Vol. xxvii., pt. 4, tt. 2686, 2699.
Gymnopodium floribundum.

JOURNAL OF HORTICULTURE :—

1906. Vol. lii., pp. 201–2 and 252, The Orchid Revolution.

JOURNAL OF THE LINNEAN SOCIETY :—

1896. Vol. xxxii., pp. 439–478, A Revision of the genus Vanilla.

V. acuminata, V. acuta, V. borneensis, V. carinata, V. columbiana, V. crenulata, V. Eggersii, V. Hostmanni, V. madagascariensis, V. ovalifolia, V. organensis, V. ovata, V. philippinensis, V. ramosa, V. Sprucei, V. Vellozii.

1903. Vol. xxxvi., Index Flora Sinensis :—

Orchidaceae, pp. 5–67.

Arethusa sinensis; Bulbophyllum yunnanense; Calanthe yunnanensis; Cirrhopetalum Henryi; Coelogyne Delavayi, C. grandiflora, C. yunnanensis; Dendrobium bellatulum, D. Hancockii, D. zonatum; Eria hainanensis; Eulophia yunnanensis; Habenaria yunnanensis; Hancockia uniflora; Herminium Souliei, H. tanguticum; Liparis latilabris, L. yunnanensis; Luisia Morsei; Myrmechis chinensis; Oberonia yunnanensis; Odontochilus yunnanensis; Pholidata yunnanensis; Sarcanthus elongatus; Tropidia hongkongensis.

JOURNAL OF THE ROYAL HORTICULTURAL SOCIETY :—

1903. Vol. xxiv., pp. 181–202, Hybridisation viewed from the standpoint of Systematic Botany.

ROLFE, R. A.—*continued.*

KEW BULLETIN :—

1896.

Decades Kewenses.

Dianthera celebica ; Geophila picta ; Strobilanthes Everettii.

New Orchids.

Bulbophyllum attenuatum, B. longiscapum, B. macrochilum ; Calanthe arcuata, C. ensifolia, C. Hancockii, C. Henryi, C. lamellosa ; Cheirostylis yunnanensis ; Cirrhopetalum Fordii ; Coelogyne Delavayi, C. Henryi, C. pogonioides ; Cymbidium Faberi ; Cypripedium ebracteatum ; Cyrtopera formosana ; Dendrobium hainanense, D. quadrilobum ; Diplomeris chinensis ; Epidendrum atrorubens ; Eria caespitosa, E. formosana ; Eulophia Faberi ; Galeola Faberi ; Goodyera Henryi ; Habenaria Faberi, H. Fordii, H. Hancockii, H. Henryi, H. humidicola, H. omeiensis ; Hemipilia Henryi ; Holothrix Johnstoni ; Lanium subulatum ; Liparis Henryi, L. pauciflora ; Listera grandiflora ; Luisia Hancockii ; Macodes Sanderiana ; Nephelaphyllum chinense, N. cristatum ; Pholidota cantoniensis ; Physurus chinensis ; Restrepia sanguinea ; Sarcochilus hainanensis ; Spiranthes exigua, S. metallica ; Tainia hongkongensis ; Thelasis hongkongensis ; Vanda hainanensis.

1898.

New Orchids.

Bulbophyllum spectabile ; Chondrorhyncha albicans ; Coelogyne pulchella ; Dendrobium cymbiforme, D. hirtulum ; Epidendrum organense ; Eria latibracteata ; Hetaeria samoensis ; Jenmania elata ; Lycaste Dyeriana ; Maxillaria dichroma, M. elegantula ; Oncidium gracillimum ; Platyclinis rufa ; Pleurothallis rufa ; Sarcanthus hongkongensis ; Sievkingia Reichenbachiana ; Sobralia luteola ; Stanhopea impressa ; Trichocentrum alatum.

1899.

New Orchids.

Appendicula longipedunculata ; Calanthe celebica ; Cirrhopetalum Koordersii ; Cleisostoma Koordersii ; Dendrobium parvulum ; Eria celebica, E. tricuspidata ; Macodes celebica ; Microstylis cordifolia, M. repens ; Peristylus bilobus ; Phreatia celebica, P. Koordersii ; Taeniophyllum celebicum ; Trichoglottis celebica, T. Koordersii, T. oblongifolia ; Vanda celebica ; Vanilla fimbriata, V. Hartii.

1901.

New Orchids.

Aeranthes caudata ; Catasetum quadridens ; Cirrhopetalum appendiculatum ; Dendrobium capituliflorum, D. inaequale, D. puniceum, D. quinarium ; Masdevallia venosa ; Ornithocephalus multiflorus ; Panisea tricallosa.

Decades Kewenses.

Dioclea megacarpa.

ROLFE, R. A.—*continued.*

KEW BULLETIN :—

1906.

New Orchids.

Aëranthes ramosa ; Bulbophyllum calabaricum, B. capituliflorum, B. Kerrii, B. Mahoni ; Calanthe madagascariensis, C. Warpuri ; Catasetum eburneum ; Cattleya Jenmani ; Coelia densiflora ; Colax tripterus ; Cryptophoranthus Moorei ; Cynorchis villosa ; Cypripedium Wilsoni ; Dendrobium annamense, D. compactum, D. convolutum, D. Hodgkinsoni, D. Madonnae, D. Schinzii ; Gomesa scandens ; Habenaria triquetra ; Liparis Lloydii ; Listrostachys Brownii, L. fimbriata ; Masdevallia peruviana ; Mystacidium Mahoni ; Oncidium Claesii ; Pescatorea cochlearis ; Platylepis australis, P. densiflora ; Pleurothallis venosa ; Polystachya bicolor ; Pteroglossaspis argentina ; Renanthera annamensis ; Saccolabium rubescens ; Sarcanthus inflatus ; Trigonidium subrepens ; Vanilla zanzibarica ; Zygopetalum Ballii.

Additional Series, V.—Wild Fauna and Flora of the Royal Botanic Gardens, Kew : Oak Galls.

MEMOIRS OF THE TORREY BOTANICAL CLUB :—

1895–1896. Vol. IV., pp. 259–266 ; Vol. VI., pp. 121–123, Orchidaceae collected by Mr. Miguel Bang in Bolivia.

Altensteinia boliviensis ; Camaridium boliviense ; Dichaea hamata ; Elleanthus yungasensis ; Epidendrum yungasense ; Govenia boliviensis ; Hexadesmia boliviensis ; Maxillaria nervosa ; Oncidium Rusbyi ; Pleurothallis complicata, P. densifolia, P. scabridula, P. yungasensis ; Rusbyella caespitosa ; Spiranthes Bangii, S. yungasensis ; Stelis Bangii, S. Brittoniana, S. Rusbyi.

ORCHID REVIEW :—

1894. Editor. Numerous original contributions to Synonymy, Geographical Distribution, and the History of Natural Hybrid Orchids.

PROCEEDINGS OF THE BIOLOGICAL SOCIETY OF WASHINGTON :—
1904, pp. 119, 120.

Dendrobium Micholitzii ; Epidendrum oaxacanum, E. Pringlei.

VIERTELJAHRSSCHR. NAT. GES. ZÜRICH :—

1904. Vol. xlix., p. 196.

Selago Junodii.

SCOTT, D. H.

AN INTRODUCTION TO STRUCTURAL BOTANY, PART II. (FLOWERLESS PLANTS), 1896, pp. 312, with 114 illustrations. London. A. and C. Black.

SCOTT, D. H.—*continued.*

STUDIES IN FOSSIL BOTANY, 1900, pp. 533, with 151 illustrations. London. A. and C. Black.

ENCYCLOPÆDIA BRITANNICA, Palaeobotany (Palaeozoic). 1902. 10th Edition, Vol. 31, pp. 408–421.

RÉSULTATS SCIENTIFIQUES DU CONGRÈS INTERNATIONAL DE BOTANIQUE, WIEN, 1905. Ueber die wichtigsten neueren Ergebnisse der Phytopaläontologie. The Fern-like Seed-Plants of the Carboniferous Flora, 1906, pp. 279–296, with 17 figs. in text.

ANNALS OF BOTANY :—

1897. Vol. xi., pp. 168–175, On Cheirostrobus, a new type of Fossil Cone from the Calciferous Sandstones; pp. 327–332, tt. 15 and 16, On two new instances of Spinous Roots; pp. 399–419, tt. 20 and 21, The Anatomical Characters presented by the peduncle of Cycadaceae; pp. 590–593, On Spencerites, a new Genus of Lycopodiaceous Cones from the Coal-Measures.

1899. Vol. xiii., pp. 183–187, On Medullosa anglica, a new representative of the Cycadofilices; pp. 615–619, On the Primary Wood of certain Araucarioxylons.

1900. Vol. xiv., pp. 413–454, tt. 23 and 24, and two figs. in text, The Structure of *Isoetes Hystrix* (With T.G. Hill); pp. 713–717, On the Occurrence of a Seed-like Fructification in cerfain Palaeozoic Lycopods.

1901. Vol. xv., pp. 773–774, On a primitive type of Structure in Calamites.

1903. Vol. xvii., pp. 625–629, On Lagenostoma Lomaxi, the Seed of Lyginodendron (With F. W. Oliver).

1904. Vol. xviii., pp. 321–322, On the Structure of the Palaeozoic Seed Lagenostoma Lomaxi, with a statement of the Evidence upon which it is referred to Lyginodendron; pp. 519–521, On the Occurrence of Sigillariopsis in the Lower Coal-Measures of Britain.

1905. Vol. xix., pp. 168–169, On a New Type of Sphenophyllaceous Cone (*Sphenophyllum fertile*) from the Lower Coal-Measures.

1906. Vol. xx., pp. 109–112, Note on the Structure of Trigonocarpon olivaeforme (With A. J. Maslen); pp. 317–319, The Structure of Lepidodendron obovatum, *Sternb.*

JOURNAL OF THE ROYAL MICROSCOPICAL SOCIETY :—

1905, pp. 137–149, tt. 1–3, with two figs. in text, What were the Carboniferous Ferns? Presidential Address.

1906, pp. 129–145, tt. 4 and 5, Life and Work of Bertrand Renault, Presidential Address; pp. 519–521, On the Structure of some Carboniferous Ferns.

SCOTT, D. H.—*continued.*

MEMOIRS AND PROCEEDINGS OF THE MANCHESTER LITERARY AND PHILOSOPHIC SOCIETY :—

1905. Vol. xlix., pp. 1–32, tt. 1–3, with three figs. in text, The Early History of Seed-bearing Plants, as recorded in the Carboniferous Flora. Wilde Lecture.

NEW PHYTOLOGIST :—

1902. Vol. i., pp. 25–30, The Old Wood and the New ; pp. 207–212, Professor Jeffrey's Theory of the Stele.

1903. Vol. ii., pp. 19–22, Professor Bommer on Lepidocarpon.

1904. Vol. iii., pp. 18–23, with two figs. in text, Germinating Spores in a fossil Fern-Sporangium.

1905. Vol. iv., pp. 114–120, with two figs. in text, The Sporangia of Stauropteris oldhamia, *Binney* (*Rachiopteris oldhamia*, Will.).

1906. Vol. v., pp. 170–172, with two figs. in text, The Occurrence of Germinating Spores in Stauropteris oldhamia.

PHILOSOPHICAL TRANSACTIONS OF THE ROYAL SOCIETY. SERIES B :—

1896. Vol. 186, pp. 703–779, tt. 18–29, Further observations on the Organisation of the Fossil Plants of the Coal-Measures : Part III.—Lyginodendron and Heterangium (With W. C. Williamson).

1897. Vol. 189, pp. 1–34, tt. 1–6, and one fig. in text, On the Structure and Affinities of Fossil Plants from the Palaeozoic Rocks : On Cheirostrobus, a new type of Fossil Cone from the Lower Carboniferous Strata (Calciferous Sandstone Series).

1898. Vol. 189, pp. 83–106, tt. 12–15, On the Structure and Affinities of Fossil Plants from the Palaeozoic Rocks : II.—On Spencerites, a new genus of Lycopodiaceous Cones from the Coal Measures, founded on the Lepidodendron Spenceri of Williamson.

1899. Vol. 191, pp. 81–126, tt. 5–13, and one fig. in text, On the Structure and Affinities of Fossil Plants from the Palaeozoic Rocks : III.—On Medullosa anglica, a new representative of the Cycadofilices.

1901. Vol. 194, pp. 291–333, tt. 38–43, On the Structure and Affinities of Fossil Plants from the Palaeozoic Rocks : IV.—The Seed-like Fructification of Lepidocarpon, a genus of Lycopodiaceous Cones from the Carboniferous Formation.

1904. Vol. 197, pp. 193–247, tt. 4–10, and two figs. in text, On the Structure of the Palaeozoic Seed Lagenostoma Lomaxi, with a Statement of the Evidence upon which it is referred to Lyginodendron (With F. W. Oliver).

SCOTT, D. H.—*continued.*

PHILOSOPHICAL TRANSACTIONS OF THE ROYAL SOCIETY. SERIES B :—

1905. Vol. 198, pp. 17–39, tt. 3–5, and three figs. in text, On the Structure and Affinities of Fossil Plants from the Palaeozoic Rocks: V.—On a New Type of Sphenophyllaceous Cone (*Sphenophyllum fertile*) from the Lower Coal-Measures.

PROCEEDINGS OF THE ROYAL SOCIETY :—

1897. Vol. 60, pp. 417–424, On Cheirostrobus, a new type of Fossil Cone from the Calciferous Sandstone.

1900. Vol. 67, pp. 306–309, Note on the Occurrence of a Seed-like Fructification in certain Palaeozoic Lycopods.

1903. Vol. 71, pp. 477–481, On Lagenostoma Lomaxi, the Seed of Lyginodendron (With F. W Oliver).

PROGRESSUS REI BOTANICAE ;—

1906. Vol. i., pp. 139–217, with 37 figs. in text, The Present Position of Palaeozoic Botany.

REPORTS OF THE BRITISH ASSOCIATION FOR THE ADVANCEMENT OF SCIENCE :—

1896, pp. 992–1010, Present Position of Morphological Botany, Presidential Address to Botanical Section.

P. 1024, On some Carboniferous Fossils referred to Lepidostrobus.

1899, pp. 1045–1046, On a new Medullosa from the Lower Coal-Measures of Lancashire.

P. 1049, On a Fine Specimen of the Halonial Branch of a Lepidodendron allied to L. fuliginosum (*Will.*).

P. 1050, On an English Botryopteris.

P. 1050, On the Structure of Zygopteris.

1900, p. 945, On the Presence of Seed-like Organs in certain Palaeozoic Lycopods.

Pp. 945-946, The Primary Structure of certain Palaeozoic Stems referred to Araucarioxylon.

1901, p. 849, On a Primitive Type of Structure in Calamites.

1902, p. 810, Sporangiophores as a clue to Affinities among Pteridophyta.

1905, pp. 777–778, A New Type of Sphenophyllaceous Cone from the Lower Coal-Measures.

1905, p. 778, On some New Lagenostomas. (With E. A. N. Arber.)

TRANSACTIONS OF THE LINNEAN SOCIETY :—

1906, 2 Ser. Bot., Vol. VII., pp. 45–68, tt. 7–10, On Sutcliffia insignis, a new Type of Medulloseae from the Lower Coal-Measures.

SCOTT, D. H.—*continued.*

TRANSACTIONS OF THE ROYAL SOCIETY OF EDINBURGH :—

1902. Vol. xl., part 2, pp. 331–365, tt. 1–6, with 5 figs. in text, On the Primary Structure of certain Palaeozoic Stems with the Dadoxylon Type of Wood.

SKAN, S. A.

THISELTON-DYER, FLORA OF TROPICAL AFRICA.

1906. Vol. IV., Sect. 2.

Scrophulariaceae, pp. 216–462. (With W. B. Hemsley.)

Aptosimum Gossweileri, A. molle ; Buchnera albiflora, B. attenuata, B. benthamiana, B. foliosa, B. humilis, B. latibracteata, B. namuliensis, B. nitida, B. Nuttii, B. pulchra, B. ruwenzoriensis, B. similis, B. speciosa, B. trilobata, B. tuberosa, C. scabrida ; Craterostigma lanceolatum ; Cycniopsis obtusifolia ; Dopatrium angolense, D. longidens ; Ilysanthes Barteri, I. gracilis, I. pulchella, I. ugandensis ; Limnophila Barteri ; Linaria Bentii, L. nubica ; Lindernia bifolia, L. brevidens, L. debilis, L. insularis, L. Whytei ; Moniera pubescens ; Rhamphicarpa Jamesii, R. multicaulis ; Sopubia Carsoni, S. densiflora, S. Mannii, S. Monteiroi, S. similis ; Stemodiopsis Buchanani, S. humilis ; S. brachycalyx, S. somaliensis, S. strictissima ; Sutera blantyrensis, S. dubia, S. Gossweileri, S. Welwitschii ; Torenia angolensis, T. Mannii ; Verbascum Schimperi.

BOTANICAL MAGAZINE :—

1905, tt. 7999, 8021, 8038.

1906, tt. 8063, 8064, 8069, 8073, 8077, 8081, 8090, 8094, 8099, 8105, 8110.

GARDENERS' CHRONICLE :—

1904. Vol. xxxvi., p. 3, Sophora viciifolia.

HOOKER'S ICONES PLANTARUM :—

1900. Vol. xxvii., pt. 3, tt. 2661, 2662.
Quercus Blakei, Q. Edithae.

1902. Vol. xxviii., pt. 2, t. 2729.
Tephrosia Clementi.

JOURNAL OF THE LINNEAN SOCIETY :—

1899. Vol. xxvi., Index Florae Sinensis :—

Juglandaceae, pp. 493–495.

Myricaceae, p. 496.

Cupuliferae : Quercineae, pp. 505–525.

Castanopsis Henryi ; Quercus amygdalifolia, Q. Augustinii, Q. Baronii, Q. brevicaudata, Q. calathiformis Q. formosana, Q. Franchetii, Q. Lycoperdon.

Ceratophyllaceae, p, 538.

Gnetaceae, pp. 538–539.

SKAN, S. A.—*continued.*

KEW BULLETIN :—

1898. **Decades Kewenses.**

Jasminum nitidum.

1906, p. 394, John Mahon (obituary notice).

NATURE :—

1902. Vol. lxv., p. 132, Thomas Meehan (obituary notice) ; P. 321, Alfred William Bennett (obituary notice).

SPRAGUE, T. A.

THISELTON-DYER, FLORA CAPENSIS :—

1904. Vol. IV., Sect. 2.

Bignoniaceae, pp. 447–454.

Podranea ricasoliana ; Rhigozum spinosum.

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

1906. Vol. IV., Sect. 2.

Bignoniaceae, pp. 512–538.

Kigelia acutifolia, K. angolensis, K. Elliotii, K. elliptica, K. impressa, K. lanceolata, K. Moosa ; Markhamia sessilis.

ANNALS OF BOTANY :—

1903. Vol. xvii., pp. 159–166, t. 11.

On the Heteranthus Section of Cuphea.

Cuphea Bombonasae, C. tarapotensis.

BOTANICAL MAGAZINE :—

1904, t. 7970.

1905, tt. 7995, 8048–49.

1906, tt. 8058, 8065, 8085, 8089, 8091, 8101, 8108.

BULLETIN DE L'HERBIER BOISSIER :—

1905. Ser. II. Vol. v., 78–88, Chodat et Hassler, Plantae Hasslerianae :—

Bignoniaceae.

Adenocalymma glomeratum ; Anemopaegma longipetiolatum ; Macfadyena Hassleri ; Mansoa truncata ; Tecoma Hassleri.

Pp. 264–267, Manettiarum pugillus.

Manettia chrysoderma, M. domingensis, M. quinquenervia, M. Smithii.

P. 408, Poupartia gummifera.

Pp. 700–704, Plantarum novarum vel minus cognitarum diagnoses.

Anona jamaicensis, A. uncinata ; Apeiba Burchellii ; Mollia Burchellii ; Triumfetta Amuletum.

SPRAGUE, T. A.—*continued.*

BULLETIN DE L'HERBIER BOISSIER :—

Pp. 832–836, Manettiarum pugillus alter.

Manettia avenia, M. Lindenii, M. pectinata, M. recurva, M. Schumanniana.

Pp. 1164–1170, Plantarum novarum vel minus cognitarum diagnoses II.

Erythrina edulis, E. esculenta; Oncoba Gilgiana; Sterculia Dawei; Syzygium Rowlandi.

1906. Sér. II., Vol. vi., pp. 371–376, Bignoniaceae americanae novae.

Anemopaegma Parkeri, A. surinamense; Arrabidaea Bangii, A. pachycalyx, A. panamensis, A Pullei, A. Trailii; Crescentia Donnell-Smithii; Memora bilabiata.

GARDENERS' CHRONICLE.

1903. Vol. xxxiii., p. 274, Swainsona ecallosa; p. 307, Eriostemon affinis; p. 354, Ficus Barteri.

1904. Vol. xxxvi., p. 87, Sinningia Regina; p. 141, Wistaria involuta; p. 252, Lobelia heterodonta.

P. 384, The cultivated species of Manettia.

Manettia inflata.

HOOKER'S ICONES PLANTARUM :—

1902. Vol. xxviii., pt. 2, tt. 2748–2749.

Hamadryas sempervivoides.

1903. Vol. xxviii., pt. 3, tt. 2770–2772.

Xylophragma myrianthum, X. pratense.

1905. Vol. xxviii., pt. 4, tt. 2799–2800.

Markhamia platycalyx.

JOURNAL OF BOTANY :—

1906, pp. 192–207, A Revision of Acridocarpus.

Acridocarpus congolensis, A. hemicyclopterus, A. ugandensis.

JOURNAL OF THE LINNEAN SOCIETY :—

1905. Vol. xxxvii., p. 98, Eugenia Whytei.

1906. Vol. xxxvii., pp. 495–544, tt. 21–23, Plantae Novae Daweanae in Uganda lectae (With Otto Stapf and others).

Alsodeia Dawei; Balanites Wilsoniana, *Dawe et Sprague*; Bersama ugandensis; Bombax reflexum; Carapa grandiflora; Dombeya Dawei, D. Mukole; Grewia ugandensis; Lovoa brachysiphon, L. Brownii, L. budongensis, L. Klaineana; Odyendyea longipes; Pseudocedrela excelsa, *Dawe et Sprague*, P. utilis, *Dawe et Sprague*; Rawsonia ugandensis; Triumfetta ruwenzoriensis; Warburgia ugandensis.

SPRAGUE, T. A.—*continued.*

KEW BULLETIN :—

1906.

Decades Kewenses.

Gurania Eggersii, *Sprague et Hutchinson*, G. phanerosiphon, *Sprague et Hutchinson.*

Diagnoses Africanae.

Cissus adenopodus : Guarea Thompsoni, *Sprague et Hutchinson* ; Gymnosporia condensata, G. deflexa.

TRANSACTIONS AND PROCEEDINGS OF THE BOTANICAL SOCIETY OF EDINBURGH.

1905. Vol. xxii., pp. 425–436, Preliminary Report on the Botany of Captain Dowding's Colombian Expedition, 1898–99.

Anemopaegma grandiflorum ; Begonia Andreana ; Casearia camporum ; Galactia camporum ; Gurania pedata ; Inga gracilior, I. olivacea ; Isertia alba, I. Purdiaei ; Leandra caquetana ; Lecythis praealta ; Matisia Dowdingii ; Meriania hexamera ; Miconia acutipetala, M. perplexans ; Oxalis insignis ; Rhynchanthera orinocensis ; Sabicea camporum ; Saurauja aequatoriensis, S. floribunda, S. pulchra, S. Schlimii, S. Sprucei ; Sipanea acinifolia ; Sterculia colombiana ; Tapirira pilosa ; Tetrapteris tolimensis ; Tococa caquetana ; Vismia floribunda, V. Sprucei.

STAPF, O.

HOOKER FIL., FLORA OF BRITISH INDIA :—

1896. Vol. VII.

Gramineae, pp. 310–327, 337–346, 348–362.

Bromus himalaicus ; Catabrosa sikkimensis ; Eragrostis barbulata, E. brachyphylla, E. coarctata, E. Colletii, E. leioptera, E. malayana, E. phleoides, E. Rottleri ; Festuca Cumminsii, F. kashmiriana, F. leptopogon, F. Levingii, F. lucida, F. nitidula, F. polycolea, F. undata ; Garnotia tenuifolia, G. Thwaitesii ; Glyceria poaeoides, G. Thomsonii ; Oryzopsis Munroi ; Poa khasiana, P. polycolea, P. tremula.

JOHNSTON, LIBERIA :—

1906. Vol I., pp. 570–668, with illustrations. The known plants of Liberia.

Clinogyne arcta ; Elaeophorbia drupacea ; Ficus Johnstonii, F. Whytei ; Millettia pallens ; Renealmia maculata.

THISELTON-DYER, FLORA CAPENSIS :—

1898. Vol. VII.

Gramineae, pp. 310–384.

Andropogon auctus, A. Buchananii, A. pleiarthron, A. plurinodia, A. transvaalensis ; Digitaria flaccida, D. setifolia, D. tricholaenoides ; Erianthus junceus ; Ischaemum glaucostachyum.

STAPF, O.—*continued.*

THISELTON-DYER, FLORA CAPENSIS :—

1899. Vol. VII.

Gramineae—*cont.*, pp. 385–576.

Agrostis barbuligera, A. polypogonoides; Aristida angustata, A. Burkei, A. sciurus; Avenastrum Dodii; Chaetobromus Schraderi; Danthonia brachyphylla, D. dura, D. inermis, D. Macowanii, D. macrocephala, D. suffrutescens; Panicum Holubii, P. minus, P. obumbratum, P. perlaxum, P. typhurum; Pennisetum natalense; Pentameris dregeana, P. squarrosa; Pentaschistis acinosa, P. argentea, P. brachyathera, P. Burchellii, P. fibrosa, P. heterochaeta, P. hirsuta, P. imperfecta, P. Jugorum, P. leucopogon, P. natalensis, P. subulifolia, P. tomentella, P. Tysonii, P. Zeyheri; Prionanthium pholiuroides; Setaria flabellata, S. Gerrardii; Tricholaena glabra, T. setifolia.

1900. Vol. VII.

Gramineae—*cont.*, pp. 577–750, 760–765.

Brachypodium Bolusii; Brizopyrum brachystachyum; Bromus firmior, B. natalensis; Ehrharta Dodii, E. subspicata, E. tricostata; Enneapogon scoparius; Entoplocamia aristulata; Eragrostis Atherstonei, E. Burchellii, E. caesia, E. dura, E. echinochoidea, E. elatior, E. heteromera, E. margaritacea, E. nebulosa, E. Poa, E. sporoboloides, E. Wilmsii; Festuca longipes; Melica Bolusii, M. Neesii, M. pumila; Oropetium capense; Poa Atherstonei, P. bidentata; Poagrostis pusilla; Schismus aristulatus, S. koelerioides; Secale africanum; Sporobolus acinifolius.

1904. Vol. IV., Sect. 2.

Lentibulariaceae, pp. 423–427.

Genlisea hispidula; Utricularia transrugosa.

Pedaliaceae, pp. 454–463.

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

1902. Vol. IV., Sect. 1.

Apocynaceae, pp. 24–231.

Adenium coëtaneum; Alafia Butayei, A. grandis, A. Schumannii; Baissea elliptica; Callichilia Mannii, C. inaequalis; Clitandra alba, C. Staudtii; Conopharyngia Cumminsii, C. Johnstonii, C. jollyana; Diplorhynchus angustifolia; Ervatamia coronaria; Gabunia glandulosa, G. longiflora; Holarrhena Wulfsbergii; Landolphia Cameronis, L. ferruginea, L. leonensis, L. pachyphylla, L. Tayloris; Motandra pyramidalis; Oncinotis glandulosa; Pleiocarpa flavescens, P. micrantha, P. microcarpa, P. salicifolia; Pleioceras Gilletii, P. Zenkeri; Polyadoa Elliotii; Pterotaberna inconspicua; Rauwolfia Cumminsii, R. Goetzei, R. obliquinervis, R. Welwitschii; Tabernanthe Bocca, T. Mannii, T. subsessilis; Vahadenia Laurentii; Voacanga lutescens, V. spectabilis, V. Zenkeri.

STAPF, O.—*continued.*

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

1904. Vol. IV., Sect. 1.

Apocynaceae, Addenda, pp. 588–614.

Alafia parciflora, A. Whytei ; Callichilia stenosepala ; Carpodinu oocarpa ; Clitandra membranacea, C. nitida ; Landolphia Dawei, L. ugandensis ; Oncinotis thyrsiflora ; Pleioceras Whytei ; Rauwolfia liberiensis ; Voacanga caudiflora.

1906. Vol. IV., Sect. 2.

Orobanchaceae, pp. 462–468.

Lentibularieae, pp. 468–499, 574–575.

Genlisea subglabra ; Utricularia charoidea, U. Gibbsiae, U. odontosperma, U. platyptera, U. trichoschiza, U. villosula.

Pedalineae, pp. 538–570.

Pterodiscus heterophyllus, P. Wellbyi ; Sesamum Baumii, S. Heudelotii.

URBAN & GRAEBNER, FESTSCHRIFT ZUR FEIER DES SIEBZIGSTEN GEBURTSTAGES DES HERRN PROF. DR. P. ASCHERSON :—

1904, pp. 391–412, with map, Die Gliederung der Gräserflora von Südafrika.

ANNALES DU MUSÉE DU CONGO :—

1899. Bot. Sér. II., Vol. I., fasc. 1, De Wildeman & Durand, Contributions à la flore du Congo.

Apocynaceae, pp. 33–43.

ANNALS OF BOTANY :—

1906. Vol. xx., pp. 207–212, 301–310, The Statices of the Canaries of the subgenus Nobiles.

ANNALS OF THE ROYAL BOTANIC GARDENS, CALCUTTA :—

1905. Vol. x., pt. ii., pp. i.-ii., 115–197, tt. 92–116, The Aconites of India, a monograph.

Aconitum Balfourii, A. chasmanthum, A. deinorrhizum, A. Elwesii, A. Falconeri, A. heterophylloides, A. Hookeri, A. laciniatum, A. leucanthum, A. moschatum, A. Nagarum, A. naviculare, A. soongaricum, A. spicatum, A. violaceum.

BOTANICAL MAGAZINE :—

1904. t. 7947.

1905. tt. 7994, 8012, 8034.

1906. tt. 8061, 8075, 8076, 8078, 8086.

STAPF, O.—*continued.*

ENGLER'S JAHRBÜCHER :—

1904. Vol. xxxv., pp. 64-68, fig. 2, Xerochloa (in Diels, Fragmenta Phytographiae Australiae occidentalis).

FLORA AND SYLVA :—

1905. Vol. iii., pp. 171–175, The Pampas Grasses.

GARDENERS' CHRONICLE :—

1897. Vol. xxii., pp. 358, 378, 396, The Botanical History of the Uva, Pampas Grass, and their allies.

Cortaderia araucana, C. rudiuscula.

1904. Vol. xxxv., pp. 305–306, 325–326, 340, 356, Himalayan Bamboos.

HOOKER'S ICONES PLANTARUM :—

1896. Vol. xxv., tt. 2442, 2446, 2448, 2455, 2474, 2494.

Creaghiella purpurea ; Garnotiella philippinensis ; Halopyrum mucronatum ; Hyoscyamus leptocalyx ; Tripogon pauperculus ; Woodrowia diandra.

1897. Vol. xxvi., tt. 2517, 2525.

1898. Vol. xxvi., t. 2568.

1899. Vol. xxvi., tt. 2596–2597 ; Vol. xxvii., tt. 2601–2615.

Danthonia oreoboloides ; Deyeuxia sclerophylla ; Poa minutiflora, P. papuana ; Secale africanum.

1900. Vol. xxvii., tt. 2640, 2641, 2646, 2652, 2660, 2666, 2667.

Allospondias lakonensis ; Chloridion Cameroni ; Didesmandra aspera ; Dracontomelum sinense ; Melinis tenuissima ; Monadenium echinulatum, M. laeve ; Ranalisma rostrata.

1901. Vol. xxvii., tt. 2685, 2689, 2690, 2693–2698 ; Vol. xxviii., tt. 2711, 2721.

Funtumia africana, F. elastica ; Kickxia borneensis ; Panicum phyllopogon ; Sympetalandra borneensis ; Urnularia Beccariana.

1902. Vol. xxviii., tt. 2733, 2742, 2743*a*, 2745, 2746.

Paradombeya burmanica.

1903. Vol. xxviii., tt. 2762, 2764, 2773.

Androtium astylum ; Eucorymbia alba.

1905. Vol. xxviii., tt. 2793–2798.

JOURNAL DE BOTANIQUE :—

1905. Vol. xix., pp. 98–108, Graminées nouvelles de la Guinée Française récoltées par M. Pobéguin.

Andropogon androphilus, A. errectus, A. trepidarius ; Elionurus Pobeguinii ; Leersia drepanothrix ; Panicum drosocarpum, P. lasiopodum ; Rhytachne gracilis ; Trichopteryx crinita, T. ternata.

STAPF, O.—*continued.*

JOURNAL OF THE ASIATIC SOCIETY OF BENGAL :—

1900. Vol. lxix., pt. ii., Materials for a flora of the Malayan Peninsula.

Sonerila, pp. 18–44.

(With Sir G. King.)

Sonerila albiflora, S. andamanensis, S. bicolor, S. brachyantha, S. bracteata, S. caesia, S. calaminthifolia, S. calycula, S. capitata, S. congesta, S. costulata, S. Cyclaminella, S. elatostemoides, S. elliptica, S. epilobioides, S. flaccida, S. glabriflora, S. hyssopifolia, S. lasiantha, S. macrophylla, S. microcarpa, S. mollis, S. muscicola, S. Nidularia, S. pallida, S. populifolia, S. repens, S. rudis, S. saxosa, S. succulenta, S. suffruticosa.

1906. New Ser., Vol. ii., pp. 337, 338, Gentiana Hügelii, *Griseb.*

JOURNAL OF THE LINNEAN SOCIETY :—

1896. Vol. xxxii., pp. 479–489, tt. iv.–vii., On the structure of the female flower and fruit of Sararanga sinuosa.

1900. Vol. xxxiv., pp. 482–495, t. 19, Dicellandra, *Hook. f.*, and Phaeoneuron, *Gilg.*

Phaeoneuron Moloneyi, P. Schweinfurthii.

1905. Vol. xxxvii., pp. 79–115, Contributions to the Flora of Liberia.

Acioa Whytei ; Afrodaphne caudata, A. euryneura ; Alsodeia Johnstonii, A. prasina, A. Whytei ; Ampelocissus gracilipes ; Androsiphonia adenostegia ; Atroxima liberica, A. Zenkeri ; Begonia Simii, B. Whytei ; Bersama leiostegia ; Cassipourea caesia ; Coffea ligustrifolia, C. nudiflora ; Connarus libericus, C. Reynoldsii ; Dalbergia Heudelotii ; Deinbollia polypus ; Dissotis paucistellata ; Eriocoelum pendulum ; Garcinia epunctata ; Gomphia amplectens, G. subcordata ; Hibiscus Whytei ; Homalium molle ; Iodea reticulata ; Ixora atrata, I. congesta ; Kolobopetalum ovatum ; Macrolobium obliquum ; Memecylon Simii ; Modecca tenuispira ; Mussaenda conopharyngiifolia, M. macrosepala ; Olax major ; Oncoba brevipes ; Osbeckia liberica ; Ostryocarpus major ; Oxyanthus tenuis ; Popowia Whytei ; Sabicea discolor, S. lasiocalyx ; Soyauxia grandifolia, *Gilg & Stapf* ; Spiropetalum triplinerve ; Tetracera leiocarpa ; Urobotrya angustifolia, U. latifolia, U. minutiflora ; Webera gracilis.

1906. Vol. xxxvii., pp. 495–544, tt. 21, 22, and map, Plantae Novae Daweanae in Uganda lectae.

(With T. A. Sprague and others.)

Acacia prorsispinulosa ; Balsamocitrus Dawei ; Cordia unyorensis ; Dactylopetalum ugandense ; Dioscorea fulvida ; Euclea latidens ; Gabunia odoratissima ;

STAPF, O.—*continued.*

JOURNAL OF THE LINNEAN SOCIETY :—

Hymenodictyon scabrum ; Mimusops Dawei, M. ugandensis ; Motandra altissima ; Musa fecunda ; Oldenlandia dolichantha ; Pandanus chiliocarpus ; Panicum bifalcigerum ; Poa glacialis ; Randia nilotica ; Sansevieria Dawei ; Senecio adnivalis.

Vol. xxxvii., p. 478 (in Gibbs, Botany of Southern Rhodesia).

Erianthus teretifolius.

KEW BULLETIN :—

1896.

Decades Kewenses.

Arundinaria nitida ; Nepeta suavis ; Salvia schiedeana.

1897.

Diagnoses Africanae.

Agrostis continuata, A. fissa, A. griquensis, A. natalensis, A. Volckensii ; Andropogon trichopus ; Anthoxanthum madagascariense ; Avena caffra, A. longa, A. muriculata, A. Newtonii, A. Rothii, A. turgidula ; Ehrharta delicatula, E. Rehmannii ; Kalanchoë flammea ; Oncinotis Batesii ; Pennisetum Kirkii ; Trichopteryx acuminata, T. annua, T. camerunensis, T. flavida, T. gigantea, T. hordeiformis, T. nigritiana, T. ramosa ; Tristachya biseriata, T. glabra, T. tuberculata.

1898.

Decades Kewenses.

Diplachne Gatacrei ; Erianthus formosanus ; Miscanthus oligostachyus ; Pellacalyx symphyodiscus ; Spodiopogon Beccarii.

1898.

Diagnoses Africanae.

Alafia major ; Carpodinus congolensis, C. gracilis, C. leptantha, C. ligustrifolia, C. turbinata ; Holarrhena congolensis ; Isonema infundibuliflorum ; Kickxia latifolia ; Oncinotis tenuiloba ; Pleiocarpa tubicina ; Tabernaemontana Smithii, T. Thonneri ; Tabernanthe albiflora, T. tenuiflora.

1898. Pp. 114–118, Flora of British New Guinea.

Festuca monantha, F. papuana ; Microlaena Guilianettii ; Poa callosa.

1901.

Decades Kewenses.

Begonia peristegia.

1905. Pp. 45–49, On Kickxia and Funtumia.

STAPF, O.—*continued.*

KEW BULLETIN :—

1906.

Decades Kewenses.

Achillea sieheana ; Ardisia gigantifolia ; Calathea Gouletii ; Cervantesia glabrata ; Cynoglossum amabile, *Stapf et Drummond* ; Diandrolyra bicolor ; Dichelachne brachyathera ; Digitaria pacifica ; Linaria gerensis, L. Johnstonii ; Medinilla chionantha ; Phytocrene porphyrea ; Sonerila laeta ; Stemonurus evenius, S. labuanensis ; Strombosia latifolia ; Trachelospermum crocostomum.

Diagnoses Africanae.

Aristolochia flagellata ; Begonia calabarica ; Dissotis modesta ; Empogona Allenii ; Eragrostis Dinteri, E. lasiantha, E. poecilantha ; Excoecaria Grahami ; Ferretia aeruginescens ; Ochna tenuissima ; Pavetta luteola ; Pennisetum massaicum.

Pp. 297–363, with plate, The Oil-grasses of India and Ceylon.

MÉMOIRES DE L'HERBIER BOISSIER :—

1900. No. 20, pp. 27–32, tt. 1 and 2, Dintera (in Schinz, Beitrage zur Kenntniss der Afrikanischen Flora, No. XI.).

Dintera pterocaulis.

TRANSACTIONS OF THE LINNEAN SOCIETY :—

1904. 2nd ser., Vol. vi., pp. 401–425, tt. 45–47, The fruit of Melocanna bambusoides, an endospermless viviparous genus of Bambuseae.

THISELTON-DYER, SIR W. T.

COLLETT, FLORA SIMLENSIS. In Memoriam.

1902, pp. xv.–xxii.

FLORA CAPENSIS : Editor.

1896. Vol. VI., pts. 1–2.
1897. Vol. VI., pt. 3 ; Vol. VII., pt. 1.
1898. Vol. VII., pt. 2.
1899. Vol. VII., pt. 3.
1900. Vol. VII., pt. 4.
1901. Vol. V., pt. 1.
1904. Vol. IV., Sect. 2, pts. 1–3.
1905. Vol. IV., Sect. 1, pts. 1–2.
1906. Vol. IV., Sect. 1, pt. 3.

FLORA OF TROPICAL AFRICA : Editor.

1897. Vol. VII., pt. 1.
1898. Vol. VII., pts. 2–3.

THISELTON-DYER, SIR W. T.—*continued*

FLORA OF TROPICAL AFRICA : Editor.

1899. Vol. V., pt. 1.
1900. Vol. V., pts. 2–3.
1901. Vol. VIII., pts. 1–2.
1902. Vol. VIII., pt. 3.
1905. Vol. IV., Sect. 2, pt. 1.
1906. Vol IV., Sect. 2, pts. 2–3.

HAND-LISTS OF THE ROYAL BOTANIC GARDENS, KEW : Editor.

1896. Orchids ; Coniferae ; Arboretum, 2nd part.
1897. Tender Monocotyledons.
1900. Tender Dicotyledons.
1902. Arboretum, Ed. 2 ; Herbaceous Plants, Ed. 2.
1903. Coniferae, Ed. 2.
1904. Orchids, Ed. 2.
1906. Ferns and Fern Allies, Ed. 2.
Portraits of Botanists in Museums.

INDEX KEWENSIS, Supplement 2, 1904–1905.

ANNALS OF BOTANY :—

1897. Vol. xi., pp. ix.–xi., Miles Joseph Berkeley.
Pp. 175–177, Note on the Discovery of Mycorhiza.
1900. Vol. xiv., pp. 609–616, Note on the Sugar Cane Disease of the West Indies.
1901. Vol. xv., pp. 423–425, Morphological Notes :—I.—Persistence of Leaf Traces ; pp. 547–550, II.—Persistence of Leaf Traces in Araucarieae ; III.—The Carpophyll of Encephalartos ; pp. 749–757, IV.—The Haustorium of Loranthus aphyllus.
1902. Vol. xvi., pp. 149–155, Morphological Notes :—V.—Abnormal Fruits : Precocious Germination in a Melon ; VI.—Pleiotaxy of Gynaeceum in Orange ; pp. 365–369, VII.—Evolution of Pitchers in Dischidia Rafflesiana ; pp. 553–558, VIII.—On Polycotyledony.
1903. Vol. xvii., pp. 435–441, Morphological Notes :—IX.—A Kalanchoe Hybrid ; pp. 779–787, X.—A proliferous Pinus Cone.
1906. Vol. xx., pp. 123–127, Morphological Notes :—XI.—Protective Adaptations.

BOTANICAL MAGAZINE : EDITOR :—

1905, t. 8050.
1906.

THISELTON-DYER, SIR W. T.—*continued.*

EDINBURGH REVIEW :—

1902. Vol. cxcvi., pp. 366–407, The Rise and Influence of Darwinism.

HOOKER'S ICONES PLANTARUM : Editor.

1896–1906. Vols. xxv.–xxviii., tt. 2755–2756, 2759–2760.

JOURNAL OF THE LINNEAN SOCIETY :—

1902. Vol. xxvi., Index Florae Sinensis :—

Cycadaceae, pp. 559–561.

KEW BULLETIN : Editor.

1896–1905, and Additional Series, Vols. I.–VI.

NATURE :—

1896. Vol. liii., p. 221, The Dying-out of Naturalists ; pp. 412 and 556, The Sacred Tree of Kum-Bum.

Vol. liv., pp. 293–4, 435–6, The Utility of Specific Characters.

1897. Vol. lvi., pp. 65–68, Cultural Evolution of Cyclamen latifolium.

1898. Vol. lviii., pp. 613–614, The first volume of Huxley's Memoirs.

1901. Vol. lxiv., p. 29, Scope of the Royal Society ; pp. 145–151, Huxley ; pp. 211–212, Maxime Cornu (obituary notice).

1902. Vol. lxv., pp. 296–297, 413, Cherry Disease ; pp. 584–585, The Education Bill.

Vol. lxvi., p. 31, Sweet Briar as a Goat Exterminator ; pp. 121–123, The Popular Huxley.

1903. Vol. lxviii., p. 416, Training of Forest Officers.

1906. Vol. lxxiii., p. 246, Insectivorous Water-Plant from Trinidad ; pp. 488–490, Agriculture and the Empire ; p. 534, The Kew Bulletin ; p. 587, Agricultural Research in India.

PROCEEDINGS OF THE ROYAL SOCIETY :—

1897. Vol. lxi., pp. 135–147, Cultural Evolution of Cyclamen latifolium.

1899. Vol. lxv., pp. 361–368, On the Influence of the Temperature of Liquid Hydrogen on the Germinative Power of Seeds.

WATSON, W.

ANNALS OF BOTANY :—

1901. Vol. xv., pp. 99–108, Germination of seeds of Bertholletia excelsa.

WATSON, W.—*continued.*

GARDENERS' CHRONICLE :—

1897. Vol. xxi., p. 166, Polycarpic species of Agave

1900. Vol. xxvii., pp. 1, 17, 34, 52; 1903, Vol. xxxiii., pp 49, 84, 102, Gardening under Glass.

1906. Vol. xxxix., p. 20; Vol. xl., p. 255, Packing seeds for transport.

KEW BULLETIN :—

1906, pp. 219–224, Irish Gardens.

WILSON, E. H.

GARDENERS' CHRONICLE :—

1905. Vol. xxxviii., p. 426, Astilbe grandis.

KEW BULLETIN :—

1906, pp. 147–163, Some new Chinese Plants.
(With W. B. Hemsley.)

Alniphyllum megaphyllum ; Anemone Millefolium ; Berberis Veitchiorum, B. verruculosa ; Cardamine Prattii ; Clematis Faberi, C. hupehensis; Cocculus heterophyllus; Gordonia sinensis ; Hosiea sinensis ; Meliosma Kirkii ; Michelia sinensis ; Ormosia Henryi, O. Hosiei ; Pentaphragma sinense ; Podophyllum difforme, P. Veitchii ; Randia acutidens ; Rosa Moyesii, R. multibracteata, R. setipoda ; Schizandra pubescens ; Styrax Veitchiorum ; Vallaris grandiflora.

P. 382, Huang Ch'i.
With plate.

WRIGHT, C. H.

JOHNSTON, THE UGANDA PROTECTORATE :—

1902. Vol. I., Botany, pp. 325–326 and 329–351.

Anthriscus dissectus ; Asplenium amoenum ; Cynometra Alexandri ; Rubus Doggettii ; Solanum runsoriense.

THISELTON-DYER, FLORA CAPENSIS :—

1897. Vol. VIII.

Palmae, pp. 28–30.

1904. Vol. IV., Sect. 2.

Hydrophyllaceae, pp. 1–2.

Boragineae, pp. 2–45.

Heliotropium Nelsoni ; Lobostemon alopecuroides, L. Galpinii, L. pilicaulis, L. pubiflorus; Myosotis afropalustris, M. Galpinii.

WRIGHT, C. H.—*continued.*

THISELTON-DYER, FLORA CAPENSIS :—

Convolvulaceae, pp. 45–87.
(With J. G. Baker).
Convolvulus Galpinii ; Cuscuta Medicaginis.

Solanaceae, pp. 87–121.
Lycium pilifolium, L. schizocalyx.

1906. Vol. IV., Sect. 1.

Plumbagineae, pp. 418–426.
Statice amoena, S. avenacea.

Primulaceae, by W. H. Harvey with additions by C. H. Wright, pp. 426–431.

Myssineae, by W. H. Harvey with additions by C. H. Wright, pp. 431–436.

Sapotaceae, by W. H. Harvey with additions by C. H. Wright, pp. 436–444.

Oleaceae, by W. H. Harvey with additions by C. H. Wright, pp. 478–480.

THISELTON-DYER, FLORA OF TROPICAL AFRICA :—

1897–1898. Vol. VII.

Hydrocharideae, pp. 1–10 and 569.
Boottia macrantha, B. muricata.

1897. Vol. VII.

Burmanniaceae, pp. 10–12.
Gymnosiphon congestus, G. squamatus.

1900. Vol. V.
Elsholtzia aquatica, p. 451 ; Leucas velutina, p. 488.

1901. Vol. VIII.

Palmae, pp. 97–127.

Pandaneae, pp. 127–133.

Alismaceae, pp. 206–214.

1905. Vol. IV., Sect. 2.

Boragineae, pp. 5–62.
(With J. G. Baker.)

1905–6. Vol. IV., Sect. 2.

Solanaceae, pp. 207–261, 571–573.
Solanum lykipiense, S. pseudospinosum, S. subulatum, S. Thomsoni.

BOTANICAL MAGAZINE :—

1904, tt. 7955–7, 7959–60, 7963, 7966–7, 7973, 7976–7, 7982, 7986, 7989, 7991.

WRIGHT, C. H.—*continued.*

BOTANICAL MAGAZINE :—

1905, tt. 7992, 7998, 8005, 8009, 8011, 8015, 8025, 8040, 8046.
Aechmea lavandulacea.

1906, tt. 8052, 8055–6, 8059, 8068, 8072, 8080, 8087, 8095, 8102, 8107.
Gladiolus carmineus.

GARDENERS' CHRONICLE :—

1900. Vol. xxvii., p. 350, Turkestan Tulips.

1903. Vol. xxxiii., p. 257, Ipomoea Mahoni ; Viburnum buddleifolia, V. Veitchii.

Vol. xxxiv., p. 397, Cheilanthes undulata, *Hope & Wright.*

HOOKER'S ICONES PLANTARUM :—

1896. Vol. xxv., tt. 2438, 2490.
Luffa ? Batesii ; Vavaea megaphylla.

897. Vol. xxvi., t. 2518.
Efulensia clematoides.

1900. Vol. xxvii., t. 2659.
Lightfootia leptophylla.

1903. Vol. xxviii., t. 2758.
Triplochiton Johnsoni.

JOURNAL OF THE LINNEAN SOCIETY :—

1896. Vol. xxxii., pp. 490–496, On the Genus Stemona, *Lour.*
Stemona acuta, S. australiana, S. parviflora.

1899. Vol. xxxiv., pp. 268–276, On some African Labiatae with alternate leaves. (With I. H. Burkill.)
Plectranthus insolitus.

1899. Vol. xxvi., pp. 471–492, Index Florae Sinensis :—
Urticaceae : Conocephaleae, pp. 471–492.
Boehmeria gracilis ; Conocephalus sinensis ; Debregeasia obovata ; Laportea grossedentata, L. sinensis ; Pellionia viridis ; Pilea notata, P. plataniflora, P. rubriflora.

1903. Vol. xxxvi., Index Florae Sinensis :—
Hydrocharidaceae, pp. 1–3.
Burmanniaceae, pp. 4–5.
Scitamineae, pp. 67–75.
Haemodoraceae, pp. 75–80.
Irideae, pp. 80–86.
Amaryllideae, pp. 86–90.

WRIGHT, C. H.—*continued.*

JOURNAL OF THE LINNEAN SOCIETY :—

Taccaceae, p. 90.

Dioscoreaceae, pp. 90–94.

Dioscorea zingiberensis.

Roxburghiaceae, pp. 94–95.

Liliaceae, pp. 95–148.

Allium Prattii, A. venustum.

Palmae, pp. 167–170.

Pandanaceae, p. 171.

Lemnaceae, pp. 188–189.

Alismaceae, pp. 189–191.

Naiadaceae (excluding Potamogeton), pp. 192–198.

Eriocaulaceae, pp. 198–202.

1903. Vol. xxxv., pp. 483–484, Introductory Note to S. T. Dunn's Descriptions of New Chinese Plants.

Pellaea squamosa, *Hope & Wright.*

1906. Vol. xxxvii., p. 529, Haemanthus cyrtanthiflorus.

KEW BULLETIN :—

1896.

Decades Kewenses.

Buddleia acutifolia ; Caesalpinia bicolor ; Chailletia chartacea ; Chrysophyllum batangense ; Clematis rubifolia ; Ehretia corylifolia ; Gomphia discolor ; Grewia batangensis ; Impatiens Batesii, I. Hancockii ; Ipomoea hirsuticaulis ; Luffa Batesii ; Primula barbicalyx ; Salvia yunnanensis ; Scutellaria amoena ; Vaccinium setosum ; Viburnum ceanothoides.

1897.

Diagnoses Africanae.

Blaeria microdonta ; Gymnosiphon squamatum ; Ipomoea operosa ; Lasiodiscus marmoratus ; Pittosporum oblongifolium ; Solanum nakurense ; Tecoma Whytei.

1898.

Diagnoses Africanae.

Oldenlandia acutidentata ; Psorospermum membranaceum ; Virecta salicoides.

1901.

Diagnoses Africanae.

Aloe somaliensis ; Cassipourea schizocalyx ; Crotalaria minor ; Helichrysum plantaginifolium ; Hugonia obtusifolia ; Ornithogalum tenuipes ; Randia purpureomaculata ; Rhopalandria lobata.

Decades Kewenses.

Hippeastrum teretifolium.

WRIGHT, C. H.—*continued.*

KEW BULLETIN :—

1906.

Decades Kewenses.

Achatocarpus pubescens ; Astragalus brevidentatus ; Bidens simplicifolia ; Euterpe Jenmanii, E. ventricosa ; Guarea syringoides ; Nephrodium leptophyllum ; Polypodium viscosum.

Diagnoses Africanae.

Chlorophytum asphodeloides, C. glabriflorum ; Coleus scaposus ; Cuviera minor ; Gladiolus bellus ; Gnidia mollis ; Helichrysum argyrocephalum ; Hymenophyllum Thomassetii ; Lobelia Johnstoni ; Polypodium prionodes, P. Thomassetii ; Psychotria Mahoni ; Pteris intricata ; Vernonia bothrioclinoides, V. scabrida.

TRANSACTIONS OF THE LINNEAN SOCIETY :—

1901. Vol. vi., pp. 77–88, Pteridophyta, in Report on two Botanical Collections made by Messrs. F. V. McConnell & J. J. Quelch at Mount Roraima in British Guiana.

Polypodium leptodon.